REV. EDWIN D. LEAHY, O.S.B. PRESIDENT

ADRIANNE DAVIS

MEMBERS

SALVATORE CARNOVALE JENNIFER M. CARRILLO-PEREZ LEESANDRA MEDINA DR. CHRIS T. PERNELL DR. JAMES M. PEDERSEN SUPERINTENDENT

DICXIANA A. CARBONELL, Ed.S.
ASSISTANT SUPERINTENDENT OF
SCHOOLS FOR CURRICULUM &
INSTRUCTION

BERNETTA DAVIS BUSINESS ADMINISTRATOR

> LORI TANNER BOARD SECRETARY

M. MURPHY DURKIN, ESQ BOARD ATTORNEY

June 28, 2022

Essex County Schools of Technology Donald M. Payne Sr. Tech 498-544 West Market Street Newark, NJ 07107

Dear Donald M. Payne Tech Community,

Our school system is committed to protecting student, teacher, and staff health. To protect our community and in compliance with the Department of Education regulations, Essex County Schools of Technology tested our schools' drinking water for lead in February 2022.

In accordance with the Department of Education regulations, Donald M. Payne Tech will implement immediate remedial measures for any drinking water outlet with a result greater than the US Environmental Protection Agency established action level of 15 μ g/l (parts per billion [ppb]) for lead. This includes turning off the outlet unless it is determined the location must remain on for non-drinking purposes. In these cases, a "DO NOT DRINK – SAFE FOR HANDWASHING ONLY" sign will be posted.

Results of our Testing

Following instructions given in technical guidance developed by the New Jersey Department of Environmental Protection, we completed a plumbing profile for each of the buildings within Essex County Schools of Technology schools. Through this effort, we identified and tested all drinking water and food preparation outlets. Of the **148** samples taken, all but **5** tested below the lead action level of 15 ppb. None of these 5 are drinking water outlets.

The table below identifies the drinking water outlets that tested above 15 ppb for lead, the actual lead level, and what temporary remedial action Essex Schools of Technology has taken to reduce the levels of lead at these locations.

ESSEX COUNTY VOCATIONAL TECHNICAL SCHOOLS WAS ORGANZIED IN 1923

60 NELSON PLACE, 1 NORTH, NEWARK, NJ 07102 -TELEPHONE (973) 412-2050 - FAX (973) 242-3041 www.essextech.org

Field ID	Conc. (ug/L)	Comments					
01-CR-IN-B143-FC	18.2	Hand Wash sinks in the construction classroom (Carpentry). This is NOT a drinking water outlet. Permanent "Do Not Drink" signs have been posted.					
01-CR-IN-B146-FA	17.8						
01-CR-IN-B146-FB	34.6	Hand Wash sinks in the construction classroom (Electrical / welding). This is NOT a drinking water outlet. Permanent "Do Not Drink" signs have been posted. Since the outlets are not meant for consumption no further remediation needed.					
01-CR-IN-B146-FC	19						
BS-KI-IN-C034A-FPP	99.1	Steamer in the Kitchen Classroom (C034). Root cause can be accredited to rare usage and stagnancy. Taken out of commission permanently.					

Health Effects of Lead

Lead can cause serious health problems if too much enters your body from drinking water or other sources. It can cause damage to the brain and kidneys and can interfere with the production of red blood cells that carry oxygen to all parts of your body. The greatest risk of lead exposure is to infants, young children, and pregnant women. Scientists have linked the effects of lead on the brain with lowered IQ in children. Adults with kidney problems and high blood pressure can be affected by low levels of lead more than healthy adults. Lead is stored in the bones, and it can be released later in life. During pregnancy, the child receives lead from the mother's bones, which may affect brain development.

In other words, it is the fetus that is at risk because developing fetuses receive lead from the mother's bones. Children and fetuses absorb more lead into their bodies than adults and are more susceptible to its effects on brain development; however, most children with elevated blood lead levels do not exhibit any symptoms, but effects may appear later in life.

How Lead Enters our Water

Lead is unusual among drinking water contaminants in that it seldom occurs naturally in water supplies like rivers and lakes. Lead enters drinking water primarily as a result of the corrosion, or wearing away, of materials containing lead in the water distribution system and household plumbing. These materials include lead-based solder used to join copper pipes, brass, and chrome-brass faucets, and in some cases, pipes made of or lined with lead.

When water remains in contact with lead pipes or plumbing materials containing lead over time, the lead may dissolve into your drinking water. This means the first water drawn from the tap in the morning, or later in the afternoon if the water has not been used all day, may contain elevated levels of lead.

- Homes and buildings in New Jersey built before 1987 are more likely to have lead pipes and/or lead solder.
- Service lines, which may also contain lead, are the individual pipes that run from the well to a home or building. The property owner may also be the owner of the service line. Lead service lines are not typically found in non-community systems (e.g., school, office, restaurant, or other buildings on their own well).
- Brass faucets, fittings, and valves, including those advertised as "lead-free", may also contribute lead to drinking water. The law currently allows end-use brass fixtures, such as faucets, that contain a maximum of 0.25 percent lead to be labeled as "lead free". However, prior to January 4, 2014, "lead free" allowed up to 8 percent lead content of the wetted surfaces of plumbing products including those labeled National Sanitation Foundation (NSF) certified. Consumers should be aware of their current fixtures and take appropriate precautions.

Lead in Drinking Water

Lead is a common metal found in the environment. Drinking water is one possible source of lead exposure. The main sources of lead exposure are lead-based paint and lead-contaminated dust or soil. In addition, lead can be found in certain types of pottery, pewter, brass fixtures, cosmetics, imported spices and other food. Other sources include

exposure in the workplace and exposure from certain hobbies like shooting ranges and fishing (lead can be carried on clothing or shoes). Lead is found in some toys, some playground equipment, and some children's metal jewelry.

EPA estimates that 10 to 20 percent of a person's potential exposure to lead may come from drinking water. Infants who consume mostly formula mixed with lead-containing water may receive 40 to 60 percent of their exposure to lead from drinking water When there are elevated levels of lead in your water, drinking water is likely to be a more important source of exposure.

For More Information

A copy of the test results is available in our central office for inspection by the public, including students, teachers, other school personnel, and parents, and can be viewed between the hours of 8 a.m. and 3 p.m. and are also available on our website. For more information about water quality in our schools, contact Bruce Scrivo at Facilities & Operations, 973-412-2258.

For more information on reducing lead exposure around your home and the health effects of lead, visit EPA's Web site at **www.epa.gov/lead**, call the National Lead Information Center at 800-424-LEAD or Safe Drinking Water Act hotline at 1-800-426-4791, or contact your health care provider.

If you are concerned about lead exposure at this facility or in your home, you may want to ask your health care providers about testing children to determine levels of lead in their blood.

Sincerely,

Bruce Scrivo,

Director of Facilities & Operations

ESSEX COUNTY SCHOOLS OF TECHNOLOGY



Quality Assurance Project Plan (QAPP) for DONALD M. PAYNE TECH HIGH SCHOOL

March 2022




	Α	pprovals		
School District Repre	sentatives:			,
Program Manager:	Bernetta Devisa	QWW.	JA 9	128/22
	Print Name	Signature	Date	•
Project Manager(s):	Bruce Scrivo	Sun 10	6/23/	122
	Print Name	Signature	Date	
Individual School Project	Officer(s) (See page iii)			
Third Party Sampling		***************************************	iiiiliilaan kaanaan kaanaa ay ka	
(Note N/A if Third Party not	involved) Nam	ne of Firm		
مند منافذ شد.	Basit Rehman	#	3/13	122
	Print Name	Signature	Date	
Laboratory: Pred	ision Analytical Services	**************************************		
	Name of Laboratory			
Laboratory Manager	: Mark Fietelson	- Martin		03(28/22
	PrintName	Signature	Date	,
Laboratory QA Offic	er: Kelly Hogan	<i>Will</i>	MAUL	3/28/22
	Printblame	Signature	Date	



Table of Contents

1. OBJECTIVE & GOALS / BACKGROUND	5
1.1 Objective and Goals	
1.2 Background	5
2. PROJECT/TASK ORGANIZATION	6
2.1 School District Program Manager (Program Manager)	6
2.2 School District Project Manager (Project Manager)	6
2.3 Individual School Project Officer(s)	7
2.4 Field Sampler or Field Sampling Team	8
2.5 Laboratory Manager	8
2.6 Laboratory's Quality Assurance Officer (LQAO)	8
3. SPECIAL TRAINING NEEDS/CERTIFICATION	8
4. PROJECT / TASK DESCRIPTION	9
5. LEAD DATA QUALITY OBJECTIVES AND CRITERIA FOR MEASUREMENT	9
5.1 Precision	9
5.2 Bias	9
5.3 Representativeness	10
5.4 Comparability	10
5.5 Completeness	10
5.6 Sensitivity	10
6. SECONDARY DATA	10
7. FIELD MONITORING REQUIREMENTS	10
7.1 Monitoring Process Design	11
7.2 Monitoring Methods	11
7.2.1 Faucets, Bubblers and Bubblers with Individual Chillers:	12
7.2.2 Water Coolers	12
7.2.3 Ice Machines	13
7.2.4 Point of Entry Samples	13
7.3 Field Quality Control	13
8. ANALYTICAL REQUIREMENTS	13
8.1 Analytical Methods	14





8.2 Analytical Quality Control	.4
9. SAMPLE HANDLING AND CUSTODY REQUIREMENTS	5۔
9.1 Sample Archive/Disposal	١5
10. INSTRUMENT/EQUIPMENT TESTING, INSPECTION, MAINTENANCE & CALIBRATION REQUIREMENTS	٤5
10.1 Instrument/Equipment Testing, Inspection and Maintenance	١5
10.2 Instrument/Equipment Calibration and Frequency	۱5
10.3 Inspection/Acceptance of Supplies and Consumables	٤5
11. DATA MANAGEMENT	۱6
12. ASSESSMENTS / OVERSIGHT	۱6
13. DATA REVIEW, VERIFICATION, VALIDATION, AND USABILITY	۱7
13.1 Data Review, Verification and Validation 1	L7
13.2 Reconciliation with User Requirements	L7
14. REPORTING, DOCUMENTS AND RECORDS	18
Attachment A – 3Ts for Reducing Lead in Drinking Water in Schools:	
Attachment B – Essex County Schools of Technology Sampling Plan	
Attachment C – Chain of Custody Forms	
Attachment D – Excel Template for Lead Results	



1. OBJECTIVE & GOALS / BACKGROUND

Key:

Quality Assurance Project Plan - QAPP
US Environmental Protection Agency - USEPA
School District Lead Water Testing Sampling Plan - Sampling Plan
School District Project Manager - Project Manager
Individual School Project Officer - Project Officer

1.1 Objective and Goals

A Quality Assurance Project Plan (QAPP) is a document that describes the planning, implementation and evaluation steps involved in the acquisition of data that will be used to arrive at a specific goal. The overall objective for this QAPP is to determine the lead concentration at drinking water outlets within the District's schools so that corrective action(s) may be implemented at any drinking water outlets found to exceed the US Environmental Protection Agency (USEPA) drinking water lead action level of 15 micrograms per liter (μ g/L).

The lead sampling will consist of the collection of a first draw (initial) sample according to this QAPP and the

For the purposes of compliance, any concentration greater than 15 μ g/L is considered to exceed the lead action level.

Donald M. Payne Tech Sampling Plan for Lead Drinking Water Testing (Sampling Plan). The drinking water outlets can be faucets, drinking water fountains (or bubblers) and water coolers (see Sampling Plan for details).

Follow-up sampling will also be covered by this QAPP and the Sampling Plan. An optional follow-up flushed sample may be analyzed at selected drinking water outlets after flushing for 30 seconds. (An exception to the 30 second follow-up flushed sample is for a water cooler which requires a different follow-up sampling timeframe).

The analytical results and field data will be used by the Project Manager and the District (See Section 2.2) to determine whether drinking water distributed from drinking water outlets such as water fountains (bubblers), faucets, food preparation areas and water coolers have concentrations of lead that exceed 15 μ g/L. If a first draw (initial) or follow-up flushed cold water sample is found to contain lead at a concentration greater than 15 μ g/L, the Project Manager will instruct the Individual School Project Officer (Project Officer) (See Section 2.3) to isolate the source of drinking water by turning off the device or providing a barrier to the consumption of the water (tape and bag) until appropriate remediation is determined.

1.2 Background

Lead is a toxic metal that can be harmful to human health when ingested. Young children are particularly sensitive to the effects of lead because their bodies are still undergoing development. Lead can get into drinking water by being present in the source water or by interaction of the water with plumbing materials containing lead (through corrosion). Common sources of lead in drinking water include solder, fluxes, pipes and pipe fittings, fixtures, and



sediments. It is possible that different drinking water outlets in a given building could have dissimilar concentrations of lead.

In April 1994, USEPA prepared two guidance documents to assist municipalities in meeting the requirements of the Lead Contamination and Control Act (LCCA): Lead in Drinking Water in Schools and Non-Residential Buildings (EPA 812-B-94-002) and Sampling for Lead in Drinking Water in Nursery Schools and Day Care Facilities (EPA 812-B-94-003). In December 2005, amended October 2006, EPA issued the revised technical guidance document 3Ts for Reducing Lead in Drinking Water in Schools (EPA 816-B-05-008) which replaced the Lead in Drinking Water in Schools and Non-Residential Buildings (EPA 812-B-94-002). The 3Ts Revised Technical Guidance document is meant to assist school officials in implementing programs and policies to reduce children's exposure to lead in drinking water in schools.

2. PROJECT/TASK ORGANIZATION

Key:

School District Program Manager - Program Manager School District Project Manager - Project Manager Individual School Project Officer - Project Officer Laboratory Report & Data Package - LRDP Laboratory Quality Assurance Officer - LQAO

2.1 School District Program Manager (Program Manager)

The School District Program Manager is the overall authority in the execution of the District's lead sampling project. The Program Manager is responsible for:

- > the initial notification to the District of the testing program;
- obtaining funds for testing;
- assigning the Project Manager/Environmental Consultant;
- requesting/enlisting the assistance from other District departments if needed;
- approving the District's QAPP(s);
- > approving the Final Report for each school and coordinating with other District officials to make the results of the testing are available to the public.

2.2 School District Project Manager (Project Manager)

The Project Manager is responsible for overseeing the execution of lead sampling at each of the district's schools. This involves the prioritization of schools to be sampled, and adherence with the District's Sampling Plan and QAPP. The Project Manager report to the Program Manager and serves as the liaison between the School District, State agencies, local Health Departments, laboratories and public water systems (if applicable). The Project Manager is responsible for overseeing the execution of the work performed by the Environmental Consultant.

The Environmental Consultant's responsibilities include:

- Preparing the District's Specific QAPP
- Managing the Sampling Plan and QAPP



- Oversight of Individual School Project Officers (Project Officers) to ensure that they adhere to the Sampling Plan procedures and the QAPP
- · Purchasing of equipment needed for district lead sampling
- Coordination with New Jersey laboratories certified for lead in drinking water
- · Coordination with Project Officers to establish sampling schedules
- Ensuring properly signed QAPPs are in place prior to initiation of sampling
- Verify that officials from each school are aware when sampling is scheduled and the expected duration
- Review of the School Field Sampling Summary Reports prepared by Project Officers
- Review of Laboratory Data Reports (LDR) from Laboratory Managers
- Review of Final Project Reports prepared by Project Officers. Identify limitations in the use of any laboratory data due to information provided in the accompanying School Field Sampling Summary Report
- Maintain the original signed QAPP(s)
- Maintain documents, reports and records listed in Section 14 of the QAPP
- Copy of Field Sampling Summary Report with copies of field logbooks, field Walk-Through reports including Attachments B, C, D, E, and F of the Lead Sampling Plan, chains of custody and flush tags
- Maintenance of other relevant records such as:
 - Purchase orders for analytical costs (copy).
 - o Agreement with laboratory to sample/analyze/report with details for payment

2.3 Individual School Project Officer(s)

The Individual School Project Officer's responsibilities include:

- General project oversight for assigned school(s).
- Generate field log book for each assigned school. Document field activities including any changes to procedures outlined in the Sampling Plan or QAPP.
- Ensure proper completion of the Plumbing Profile for assigned school(s) See Attachment B of the Sampling Plan.
- Oversight of completion of the following reports found in the Sampling Plan which require sign—off by Project Officer:
 - o Drinking Water Outlet Inventory (Sampling Plan Attachment C)
 - Filter Inventory Report (Sampling Plan Attachment D)
 - o Flushing Log (Sampling Plan Attachment E)
 - Pre-Sampling Water Use Certification (Sampling Plan Attachment F)
- Prepare labels for drinking water outlets to be sampled
- Prepare for walk-thru including acquisition of School Floor Plan
- Ensure proper completion of Walk-Thru documentation including identification of drinking water outlets on Floor Plan, and Sampling Location Inventory with coding according to the Sampling Plan (Attachment C of Sampling Plan)
- Supervision of field activities such as Walk- Thru, flushing (if required), locking school prior to sampling, and sample collection
- Identify drinking water outlets to be flushed and attach flush tag
- Ensure that Field Sampling Team has all relevant sampling supplies including sampling bottles, labels, proper reagent water and chains of custody prior to collection of samples
- Ensure that all drinking water outlets to be sampled prior to sampling event are labeled
- Ensure that any low-use drinking water outlets identified for sampling had been flushed



- Responsible for ensuring water remains motionless for a minimum of eight hours (last to leave
- the school) prior to sampling event by following procedures in Section 8 of Sampling Plan Verify that the Sampling Plan was followed prior to initiating sampling by completing the Pre-Sampling Water Use Certification (Attachment F in Sampling Plan)
- Supervision of sampling event
- Documentation of issues during sampling event in field log book
- Preparation of Field Walk-Thru Report, School Field Sampling Summary Report and Final Project Report for assigned school(s)
- Maintenance of field log books for each school
- Prepare samples for shipment and delivery to laboratory per certified laboratory instructions
- Ensure that samples are delivered to laboratory within the time period specified by the certified laboratory

2.4 Field Sampler or Field Sampling Team

The Field Sampler or Field Sampling Team, whether affiliated with the District, NJ certified laboratory, and/or Environmental Consulting Firm, is responsible for ensuring that field activities are conducted in accordance with this QAPP and the Sampling Plan.

2.5 Laboratory Manager

The Laboratory Manager is responsible for:

- Supervising laboratory analyses to be performed in the Laboratory. This includes oversight of all QA requirements in the laboratory, data review, and qualification of the data.
- Providing the Laboratory Data Report Package to the Project Manager and Project Officer.

2.6 Laboratory's Quality Assurance Officer (LQAO)

The Laboratory's Quality Assurance Officer (LQAO) is responsible for reviewing the QAPP and resolving any QA issues that may arise during the project.

3. SPECIAL TRAINING NEEDS/CERTIFICATION

Sampling will be performed by the District, a certified Laboratory, or an Environmental Consulting Firm designated Sampling Team staff. Staff performing the sample collection will be properly trained in sampling techniques.

Laboratory personnel designated to analyze the samples will have successfully completed required demonstrations of capability for the methods used. The Laboratory must be a drinking water laboratory certified by New Jersey for the analysis and reporting of lead using USEPA drinking water methods which are listed in Section 8.

Assessments of the Laboratory capability are conducted on a bi-annual basis by the NJDEP Office of Quality Assurance. The Laboratory Manager has responsibility for correction of all deficiencies in their laboratory program.



4. PROJECT / TASK DESCRIPTION

Drinking water samples will be collected from drinking water outlets including water fountains (bubblers), food preparation outlets (located in the cafeteria, kitchen, and home economics classrooms) and other outlets where there is the possibility of drinking the water such as in the special education classrooms, the medical office, the teachers' lounge, and ice machines. Concession stands and outside water fountains (such as in playgrounds and athletic fields) may also be considered for sampling. The custodian sink faucet may also be considered for sampling if it is used for filling large water coolers to provide water at school events. Outside hose spigots are not appropriate sampling locations for the purpose of this QAPP. The Sampling Plan provides more detail on appropriate sampling locations.

The Field Sampler or Team will conduct first draw (initial) sample collection and, as appropriate, follow up flushed sample collection at the drinking water outlets specified in the Sampling Plan. The Sampling Team will consist of the Project Officer and the Sampler who will be affiliated with either the District, Laboratory, or the Environmental Consulting Firm. The NJ Certified Laboratory specified in the QAPP will perform the analysis for lead.

5. LEAD DATA QUALITY OBJECTIVES AND CRITERIA FOR MEASUREMENT

Key:

Quality Control - QC Field Reagent Blank - FRB

5.1 Precision

The NJ Certified Laboratory will perform replicate analysis of the Laboratory Control Standard (LCS) for every set of individual school samples to assess method precision. This is not a requirement of any of the USEPA approved methods for lead analysis. The acceptance criterion for replicate analysis is a maximum of 20 percent (%) Relative Percent Difference (RPD). In addition to the LCS data, a duplicate laboratory fortified blank (LFB) or a matrix spike and a matrix spike duplicate (MS/MSD) will also provide precision information.

5.2 Bias

As part of the analytical methodology, the NJ Certified Laboratory will perform analysis of laboratory fortified blanks (LFB) to assess accuracy/bias. The acceptance criterion for accuracy is for the results to be within plus or minus 15% recovery of the known value.

A field reagent blank (FRB) must be collected for each school. The FRB is normally only a requirement for USEPA Method 200.8, however the collection of a FRB is required with any of the other approved lead methods for this sampling event. The information provided by the results is used to determine whether the field or sample transporting procedures and environmental effects have contributed to contamination of the sample.

If any sample result(s) are qualified, this must be clearly indicated on the report and all final reports such as the field summary report. The Project Manager must be consulted to determine how to deal with the qualified results.



5.3 Representativeness

The sampling effort is designed to identify all drinking water outlets, within a school, where there is a potential for water consumption such as at water fountains (bubblers) that may require corrective action due to first draw and/or follow-up flushed sample results that exceed 15 μ g/L of lead (as defined as greater than or equal to 15.5 μ g/L or greater). Food preparation outlets and other potential ingestion outlets such as special education classrooms, the medical office and bathroom sinks are to be considered for sampling.

5.4 Comparability

The analytical methods for lead analysis in drinking water are found in the federal Safe Drinking Water Regulations at 40 CFR141.86 and 40 CFR 141 Attachment A to Subpart C. Use of these methods allows for the comparison of data to USEPA's drinking water action level for lead of greater than 15 μ g/L. Analytical results from the first draw (initial) and, if required, the follow-up flushed samples, will be compared to assist in determining the source of lead contamination. Appropriate corrective measures must then be taken by the District. For those school facilities with their own source (classified as a non-transient non-community water system), the results should be submitted to the NJDEP and used to assess compliance with the action levels in EPA's Lead and Copper Rule.

5.5 Completeness

In order to satisfy the objective of the project, samples will be collected from drinking water outlets according to the Sampling Plan.

One hundred percent (100%) of collected and verified samples will be analyzed and reported.

5.6 Sensitivity

The Laboratory's Reporting Limit (RL) for the determination of lead in drinking water samples must be no higher than 2 μ g/L which is lower than the regulatory Practical Quantitation Level for lead of 5 μ g/L. The Practical Quantitation Level for Lead is stated in the National Primary Drinking Water Contaminant Regulations 40 CFR141 Subpart I. The required reporting limit of 2 μ g/L for this QAPP is achievable with any of the approved USEPA methods listed in 11.1.

6. SECONDARY DATA

Secondary data for the District would be their historical lead data.

7. FIELD MONITORING REQUIREMENTS

Key:

Field Reagent Blank - FRB Chain of Custody - COC

Sampling may occur in the morning hours before schools are open or on weekdays or weekends when no school activities are expected. This will minimize the potential for people in the building to use water during the sampling



survey. While sampling is underway it is advisable to prohibit any persons other than the sampling team to enter the building in order to ensure that no toilets or water outlets are being used.

7.1 Monitoring Process Design

The sampling design, described in detail in the Sampling Plan (Attachment B) is based in part upon the 3T's Guidance for Reducing Lead in Drinking Water in Schools: Revised Technical Guidance, December 2005; Errata to 3Ts, October 2006 (see Attachment A).

7.2 Monitoring Methods

Equipment and supplies that will be needed to perform the sampling survey are ASTM Type I reagent grade water for the field reagent blank (FRB), latex non-colored gloves, pre-cleaned HDPE wide-mouth 250 mL single use rigid sample containers ("sample container") and chain of custody (COC forms- Attachment C or lab may use their own) and indelible ink/marker.

The Sampling Team will consist of the Individual School Project Officer and the Sampler who will be affiliated with the Environmental Consulting Firm.

The Sampler from the Environmental Consulting Firm will generate a field logbook which will be utilized to document school walk-through, sampling activities and relevant observations. In addition, the Sampler will be required to implement the following, under the oversight of the Individual School Project Officer:

- Transcribing the sample location identifier and/or code, in indelible marker, on the underside of the sampling fixture (for cases where the fixture is not already labeled) in the event the Essex County Schools of Technology has to re-sample an outlet.
- Removing the "flush tag" (if applicable) from the sampled outlet and providing it to the Project Officer.
 Flushing will need to be performed, prior to sampling, in buildings that have not been used for more than
 48 hours. This is done in order to simulate normal use patterns. Flush tags are installed at all outlets that
 have been flushed in order to alert facility occupants that water should remain unused for at least 8 hours
 but no more than 48 hours before a sample is taken.

The Sampler will also have the following responsibilities:

- Prior to the sampling event, the Sampler will obtain ASTM Type I reagent-grade water (RGW) from the
 laboratory to be used for the field reagent blank (FRB). The Sampler will transport the container with RGW
 to the school to be sampled. Before the first sample is collected the RGW will be transferred to another
 sample container near the first sample location inside the school building. This FRB sample will be stored
 and transported in the same cooler, handled and preserved in the same manner as the samples collected
 at that school.
- For this project, a chain of custody (COC) form found in Attachment C, was developed to include field sampling information. If a Laboratory or Environmental Consulting Firm is using their company's COC, the information required on the COC found in Attachment C must be included. A unique sample location identifier and/or code will be recorded, with indelible ink, onto the preprinted waterproof labels and schematic diagram.



- Communicating to the Individual School Project Officer outlet observations such as: any automatic sensors, odors, change in water color, low water flow, outlet water leaks, irregular water spray, presence of a filter, a missing or removed screen/aerator from the outlet or if the water becomes warm/hot.
- For each outlet sampled, a new pair of non-colored latex gloves will be used to collect both the first draw (initial) and follow-up second draw samples if required. This is to minimize the potential for cross contamination of sample outlets by sampling personnel. The water will be collected from the outlet directly into each container.

7.2.1 Faucets, Bubblers and Bubblers with Individual Chillers:

- Should a drinking water fountain have multiple outlets, only one outlet is to be selected for sampling. The
 outlet to be sampled will be the furthest from the source of the water, or if indeterminate, the outlet on
 the left side will be sampled for the purpose of consistency.
- For faucets, bubblers and bubblers with individual chillers having a reservoir less than 500 mL, the sampling procedure is as follows:
- For the first-draw (initial), water is collected into a sample container. The water will be collected immediately after turning the outlet on without allowing any water to run into the drain. This analytical result will indicate whether the outlet, valves, fittings and/or the section of plumbing closest to the outlet, is the source of any lead (Pb). If any of the first-draw samples exceed the 15 μg/L threshold, follow-up samples will be taken at the fixtures that had an exceedance.
- For the follow-up second draw sample, water will be collected into another sample container after allowing the water to flow for 30 seconds. The result will be used to determine whether the header/riser pipe that supplies that outlet with water is a source of lead (Pb). This sample will also indicate the extent to which a brief flush can provide temporary remediation at outlets where elevated lead (Pb) levels are detected in the first draw (initial) sample. This follow-up sample should be differentiated from the first draw sample by appending the sample code for that location with the word "FLUSH."

If there are circumstances, such as water pressure loss or a discharge pattern that prevents water from being collected within the sample container, that information will be communicated to the Individual School Project Officer. This information should also be recorded into the field logbook by the Individual School Project Officer.

7.2.2 Water Coolers

For water coolers (or water fountains with chillers having a reservoir greater than 500mL) the sampling procedure is as follows:

- For the first-draw sample, water is collected into a wide-mouth 250 mL sample container before any water is used. Collect the water immediately after turning the water cooler on without allowing any water to run into the drain. Once the 250 mL sample container is filled, turn off the water cooler. If any of the firstdraw samples exceed the 15 μg/L threshold, follow-up samples will be taken at the fixtures that had an exceedance.
- NOTE: After the last school sampling outlet has been collected, then water cooler follow-up (15 minute) samples will be collected.
- For the follow-up second draw (15 minute) sample, let the water from the outlet run for 15- minutes before collecting the sample into another 250 mL sample container. The 15 minute flush is necessary to ensure that no stagnant water is left in the storage unit and the water collected will be in contact with the



header and riser piping upstream of the cooler. This follow up sample should be differentiated from the first draw sample by appending the sample location code with the word "FLUSH".

7.2.3 Ice Machines

The procedure for sampling ice machines is found in the EPA document 3Ts for Reducing Lead in Schools at Exhibit 4.7. If an ice machine has been in continual use, the sampling can be taken at any time. If the ice machine had been out of service, it must be flushed prior to sampling. The sample will be collected from the water line feeding the ice machine.

7.2.4 Point of Entry Samples

A point of entry (POE) sample will be the last sampling event at each school. After all samples are collected, return to the first water outlet sampled and allow the water to run until there is a significant change in temperature then collect a flushed sample. Alternatively, this POE sample could be collected when the water is being utilized. Sampler must include "POE Flush" in the sample code for this sample, as well as indicate "Flush" and the duration of time flush lasted on the Chain of Custody (COC).

Nitric acid (HNO₃) preserved bottles will be provided by the Laboratory for sample collection. If, for any reason, the water samples are not acidified at the time of collection, the Laboratory will preserve all samples with laboratory grade concentrated nitric acid (HNO₃) to a pH of 2 standard units (SU) or less within 48 hours of sample receipt.

Each school will have a separate sample cooler or box which will contain the field reagent blank (FRB) and the other samples collected. Samples will be transported by the Samplers to the Laboratory.

7.3 Field Quality Control

The analytical results obtained from the FRB will determine whether field or sample transporting procedures is a cause of sample contamination.

Prior to the sampling event, the Sampler will collect a 250 mL ASTM Type I reagent-grade water from the Laboratory which will be used for the FRB. At the school and prior to the first sample collected at a school, the ASTM Type I reagent-grade water will be transferred into a sample container which will be identified as the FRB sample.

The ASTM Type I reagent-grade water will either be supplied by the Laboratory or purchased through a vendor. The 250 mL sample containers are purchased pre-cleaned. Sample containers are not to be reused.

8. ANALYTICAL REQUIREMENTS

Key:

Laboratory Report & Data Package - LRDP Quality Control - QC



8.1 Analytical Methods

The Essex County Schools of Technology must use one of the USEPA approved drinking water methods listed in the table below for the analysis of lead. Any of these methods can be used provided that the Laboratory is certified to analyze and report lead by that method and that the Laboratory has a reporting limit no greater than 2 μ g/L.

For the purposes of the Essex County Schools of Technology's QAPP, the analytical performance information is as follows:

Analyte	Analytical Method	Sample Matrix	Recommended Guidance Level	Reporting Level
Lead	USEPA Method 200.8	Drinking	Greater than 15 μg/L (15.5	2.0 μg/L (ppb)
(Pb)	USEPA Method 200.9	Water	μg/L and above) first draw (initial) sample	
	USEPA Method 200.5		, , ,	
	SM 31138			
	ASTM D3559-D			

The pH of all samples must be checked at the time of receipt at the Laboratory. If the pH is not less than 2, the pH must be adjusted with the addition of nitric acid. Samples that require the addition of nitric acid must sit for 16 hours prior to digestion (if applicable) or analysis. The pH of each sample must be documented.

The turbidity of each sample must also be checked at the time of receipt at the Laboratory. If the turbidity of the sample is greater than 1 NTU, the sample must be digested prior to analysis. The turbidity of each sample must be documented, and those samples digested must be recorded by the Laboratory.

If a sample result exceeds 90% of the linear dynamic range, the sample must be diluted and re-analyzed. The dilution factor must be included in the Laboratory report for each sample that is diluted.

8.2 Analytical Quality Control

The USEPA has established protocols for the analysis of Quality Control (QC) samples with each analytical batch of samples, generally defined as a maximum of twenty samples. All QC results must be assessed and evaluated on an on-going basis and QC acceptance criteria must be used to determine the validity of the data.

For analytical testing, the laboratory includes positive control samples Laboratory Control Sample (LCS) or Analytical Quality Control (AQC) to evaluate the total analytical system. Negative control samples (Method Blanks) are used to assess the preparation batch for possible contamination during the preparation and processing steps. A blank is considered contaminated with any result at or above the analytic reporting limit. Specific control samples (Matrix Spikes) are used to indicate the effect of the sample matrix and replicates (matrix spike, LCS replicate) are performed to assess the precision of the results generated.

Specific information regarding acceptance criteria and corrective actions is documented in the Laboratory's SOP for any of the analytical methods listed in the table above.



9. SAMPLE HANDLING AND CUSTODY REQUIREMENTS

All samples are aqueous and will be collected and labeled by the Sampler / Environmental Consultant. Standard USEPA Chain of Custody (COC) procedures will be followed according to the information provided in the District's Sampling Plan (Attachment B). The COC form found in Attachment C or equivalent is to be used for this project.

Samples will be transported by Samplers to the Laboratory.

Analyte	Sample Volume	Container	Preservation (Note1)	Holding Time
•	444	unused	Reagent Grade	
Lead (Pb)	250 mL	250 mL rigid plastic wide-mouth	Nitric Acid (HNO3) pH < 2	6 months

9.1 Sample Archive/Disposal

The samples received by the Laboratory for each school, including any digestates, will be eligible for disposal at a minimum 30 days, unless otherwise directed by the District, after the Laboratory Report has been distributed. Samples including any digestates will not be archived unless a written request is provided to the Laboratory.

10. INSTRUMENT/EQUIPMENT TESTING, INSPECTION, MAINTENANCE & CALIBRATION REQUIREMENTS

10.1 Instrument/Equipment Testing, Inspection and Maintenance

All laboratory equipment will be tested, calibrated, and maintained in accordance with existing SOPs approved by the laboratory.

There are no field instruments anticipated for this project.

10.2 Instrument/Equipment Calibration and Frequency

The USEPA approved analytical methods for lead listed in the National Primary Drinking Water Contaminant Regulations at 40 CFR 141.23 and Appendix A to Subpart C require that the instrument calibration be performed on a daily basis.

10.3 Inspection/Acceptance of Supplies and Consumables

250 mL sample containers are purchased pre-cleaned. Sample containers are not to be reused. Sample gloves are to be disposable, non-colored and not reused.



11. DATA MANAGEMENT

The Laboratory will immediately notify the Project Manager and Project Officer of the affected school(s) upon receipt of any validated laboratory results that exceed the action level for lead in drinking water that is greater than 15 μ g/L (as defined as greater than or equal to 15.5 μ g/L). For all results, the Laboratory will provide the result in micrograms per liter (μ g/L) and to at least three (3) significant figures (i.e.19.6 μ g/L or 20.4 μ g/L).

The Laboratory will provide a final electronic copy of the Laboratory Data Report Package (LDR) for each school that will consist of: 1) PDF cover sheet that identifies the school name and all qualifiers with a description for that qualifier used by the laboratory, 2) laboratory report of the analytical results in PDF format, 3) the chain of custody in PDF format and 4) an Excel spreadsheet of the results. The Excel spreadsheet must include the information outlined in the Excel template provided in Attachment D of this document. Information required to be included in separate columns includes but is not limited to; the field ID (sample location identifier and/or code), the Laboratory sample ID, the Laboratory Name and Laboratory certification number, whether the sample was flushed, the date and time of collection and analysis, the analytical method, the analytical result in $\mu g/L$, the reporting limit in $\mu g/L$, and whether the sample was diluted or digested and any qualifiers.

The LDR Package will include the analytical results, appropriate qualifiers and reporting limits for analyses of submitted samples as requested by the District. The LDR Package must include explanations of any relevant procedural deviations or anomalies associated with the sample handling and analysis of the project. This report will be completed within the timeframe indicated in the contract.

The Environmental Consultant, under the oversight of the Individual School Project Officer, will be responsible for preparing and submitting:

- A Field Walk-thru Report, if necessary, to the Program Manager. This report will include possible sampling locations and observations such as water leaks (that should be repaired prior to sampling). Also included must be the presence of filters and aerators on any outlet. Those must be identified by their outlet identifier code.
- II. A School Field Sampling Summary Report to the Program Manager. This report will include a summary of field observations, photographs (if taken), original "flush tags" (if available), copies of the COC forms, school floor plans which have the location of each outlet sampled, plumbing profiles (if provided), and a case narrative, if warranted.
- III. A Final Project Report to the Project Manager and Program Manager. The report will consist of copies of the Essex County Schools of Technology COC forms, final LDR Package (PDF and Excel spreadsheet) that includes any limitations on the use of the data and a table summarizing outlets with results exceeding the 15 ug/L action level.
- IV. The field logbook that was used for the documentation of the school walk-thru, the sampling activities and relevant observations.

12. ASSESSMENTS / OVERSIGHT

Formal field audits by QA personnel may be conducted for this project. However, identification of problems related to technical performance will be the responsibility of the staff working on this project.



The Project Officer(s) will assess any problem that arises in the field. If necessary, modifications to technical procedures may be considered. Any changes in technical procedures will be documented in the field logbook, evaluated to determine if there will be any impact to the data and then highlighted in the Final Project Report.

The Laboratory personnel will perform self-audits and institute corrective actions in accordance with their respective written procedures.

13. DATA REVIEW, VERIFICATION, VALIDATION, AND USABILITY

Key:

Laboratory Quality Assurance Officer - LQAO Laboratory Report & Data Package - LRDP

13.1 Data Review, Verification and Validation

The Project Manager will evaluate the School Field Sampling Summary Reports against the final analytical results to determine if any field observations may have contributed to lower or higher analytical results.

The Project Manager will review the analytical report and determine any limitations on the use of the data (see Section 5.2 Bias of this QAPP) and include these limitations in the Final Project Report.

Data review of all laboratory generated data is performed by the Laboratory Quality Assurance Officer (LQAO) who is not associated with the actual measurement operations for the given analytical batch but knowledgeable in the analytical processes employed. It is the responsibility of the LQAO to ensure that all data generated are correct and of known and documented quality. Once the review is completed, the LQAO will sign and date the appropriate QA/QC checklist according to the Laboratory's SOP. Any limitations on the use of data (e.g. data qualifiers) will be included in the Final Project Report.

13.2 Reconciliation with User Requirements

As long as the Field Sampling Summary Report, LDR Package and Final Project Report of this QAPP are satisfied, the data will be useable for the purpose intended and no further assessment is required. If any data are determined to be unusable by the Project Manager, re-sampling may be required.



14. REPORTING, DOCUMENTS AND RECORDS

Original documents (X) will be stored as follows:

Document:	Individual School Project Officer	School District Project Manager	School District Program Manager
QAPP	Сору	x	Сору
Field Walk-Thru Report	×	Сору	Сору
Field Logbook	x		
Chains of Custody	Х	Сору	Сору
Flushing Notification/ Flushing Log Tags/Procedure	X	Сору	Сору
Field Sampling Summary Report	X.	Сору	Сору
Flush Tags	×.	Сору	Сору
Floor Diagrams	. X :	Сору	Сору
Plumbing Profile	×	Сору	Сору
Filter Inventory	×	Сору	Сору
Drinking Water Outlet Inventory	×	Сору	Сору
Pre Sampling Water Use Certification	×	Сору	Сору
Laboratory Data Report	х	Сору	Сору
Final Project Report	Сору	х	Сору



Attachment A

3Ts for Reducing Lead in Drinking Water in Schools:



3Ts for Reducing Lead in Drinking Water in Schools:

Revised Technical Guidance, December 2005; Errata to 3Ts, October 2006 Available online at:

- https://www.epa.gov/sites/production/files/2015-09/documents/toolkit_leadschools_guide_3ts_leadschools.pdf
- http://www.nj.gov/dep/watersupply/dwc-lead-schools.html



Attachment B

Essex County Schools of Technology Lead Water Testing Sampling Plan



Essex County Schools of Technology Lead Water Testing Sampling Plan

Available under separate cover



Attachment C

Chain of Custody Forms



2161 WHITEEVELLE ROAD TOWN RIVER, HJ 00755 PHONE TSAGE4-1815 FAX 735-014-191

	and the state of t		i	School Na		CONTRACTOR OF THE PARTY OF THE	***************************************			<u>- Te W</u>
sustomer: ESSEX Schools of Technology	ann an ann an		. 3	School Add Sample:	1				ket won	The transmission of the second
oddress: 60 Nelfon Pl, Nowark 07102	teritoria de la composition della composition de			Print Na	ame:				Sarral	•
hone: (1/3 - 41) - 20/14	norm majorar monarata haja apanda abahasan a sandaniki wa di	allina allin a	ŀ	RESULTS	S TO:	basil	c.ve/	W151-41	6 gm	ùl-com
Sample ID Location	Date: Time (ampled	Matrix Code	Grab or Comp		PRESE CRESTRE	# Con- tainers	Glass or Plastic	Analy sis		LAB ID
O - Field Blank	216/22	DW	Grab			1	250 mi Plastic	Lead	1.509	1034-01
2- POE-IN-CO32-F	1:52	DW	Grab			1	250 ml Plastic 250 ml	Lead		~0>
3-03-6B-BY-A3IZ-FA	2.05	שט	Grab		accompany.	***************************************	Plastic	-tead	A BANKAN OLIVE SI SANSAN S	endendere et en kinde op verke blever namen gesten.
9-03-68-BY-A322-FB	and the second s		-Grati				Plastic 250 ml	Lead	· · · · · · · · · · · · · · · · · · ·	
€ - 03 - 613 - BY- A322 - FC	2:07	OW	Grah		***************************************	1	Plastic 250 mi	Lead Lead		
6-03-68-BY-M321-FD	2.05	DW DW	Grab		w omdan	1	250 ml	Lead	Mary Company	1-03
7 - 03 - HA - BY - A322 - WF A	2:05	DW	Grab			1	Plastic 250 mi	Lead		1 -04
8) - 03-HA-BY-A322-WF-B	2:10		Grab				Plastic 250 mi Plastic	Lead	and the second second	
(1) = 03 - BR - BY - A322 - FA	2		Grab		and the second	1-1-	250 ml	tead	A STATE OF THE PARTY STATES	in V Andrews Annual Annual Constitution
(1) - 03 BIR - 134 - A372 - FB	2115_	DW	Grap		***************************************		250 mt	- Lead	Section of the sectio	- A
(1) - 03-BR-8Y-A322-FC	2114	DW.	Grab				250 mi Plestic	Load	NAMES AND ASSESSED OF THE PARTY	(National Assessment of the Control
	2115	ow	Grab	:		1	ZSO ml Plastic	Lead		-05
m a no as Ansah no	2114	DW	Grab			1	250 mi Plastic	Lead		00-
(1) 03-CR-IN-A340A-FE	2117	DW	Grab			1	250 ml Plastic	Lead	Pad	010340
AMPLES RECEIVED PRESERVED W/HNO	Active service of the Control of the	PDF Std.	PDF Reduc	c		PDF Full	EDD		ıt i	
Page of July	Deliverables	: X	<u> </u>					inio)		***
MATRIX GW = Ground Water, WW = Waste Water, SW = Surface Water, OW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):	A SALAS CONTRACTOR							VATIV	0 = 14# 1 E z = H2504 is 4 = HNO3	= HCl t = NaOH i = Other
Print Name:	Beautiful in the second			Signa	ture:			Сиприп	, D	ate + Time
Relinquished: Bokit Rehman Received: Mak D. Fertelson		i i i i i i i i i i i i i i i i i i i	Mi Vi	核)		in the second second second	SW SW SW		5/2271 <u>9</u> 1/22
Received: Lynn Sowrac Received: Lynn Sowrac Received: Lynn Sowrac		. Program	FW.	· - >) be	*X'-	en necessis d'	ANS		57', io as

ligi whitegyele road tobs river, hu osiss phone islaig-isli fax illaig-isli

CHAIN OF CUSTODY

Customer:	Essex	<i>ڪ</i> يار ۽	oli of	Technol	094	ally property or many		ranna en range proposition had bellet de la banda en
Aridress:	60 N	lson	Places	Newal	<u>0110</u>	2,10	[*	-24° 77 12 57 58 1881
	فتحط معلماء أحمول وأتأورت	let remove Allow 111, 112		and the second second section of the spiritual second		oredane en e	orandandan ariandar agagan y	elektriyaya v v v v v v v v v v v v v v v v v v
Phone:	a water and a contract contract the second	Name in the second desired to the second	السواحرة استاسرة في وسوسية المراومة بين يميدي. وعد المراجع ا	ng pagngangan ng manggan an dana sa sa danada 1900/090		**************************************	complete comments in a	

School Name:	Donald M. Payne Tech
School Address	498 W Market St.
Sampled By:	Basie Rehuran
Print Name:	Rasit Rehman
RESULTS TO:	besit-vehman@qmail-com

Sample ID Location	Date: Time Sampled	Matrix Code	Grab er Comp	Pich Ismple	Filier Pretent	# Con-	Giass or Plastic	Analy	LABID
B03- CR- IN- A340A - FD	2:17	οw	Grab			1	250 ml Plastic	Lead	10-Aco10-669
(F) 03-PR-BY-A340A FA	J:18	DW	Grab			1	250 ml Plastic	Lead	1 - 09
1 03-PR-BY-A340A FB	2:18	DW	Grab		·	1	250 ml Plastic	Lead	- L 0
(9) 03-CR-IN- A340C- FA	2:19	DW	Grab			1	250 mil Plastic	Lead	1
(20) 03- CR- IN-ASYOC - FB	2:20	WŒ	Grab			1	250 mi Plastic	Lead	-13
(R) 03- CR-IN-A340C-FC	2:20	DW	Grab		:	1	250 mi Plastic	Lead	-13
@ 03-CR-IN-A340C-FD	2:21	DW	Grab			1	250 ml Plastic	Lead	-14
(23) 03-CR-IN-A344A-FA	2:22	DW	Grab			1	250 ml Plastic	Lead	-6
QU 03-CR. IN- A344A - FB	2127	DW	Grab			1	250 ml Plastic	Lead	- ()=
(2) 03-CR-IN-A344A-FC	2:23	DW	Grab			1	290 ml Plastic	Lead	
	2:2-3	DW	Grab			. 1	250 ml Plastic	Lead	- (8
	2:25	DW	Grab			1	250 ml Plastic	Lead	- 6
	2:26	DW	Grab			1	250 mi Plastic	Lead	-30
		DW	Grab			1	250 mi Plastic	Lead	10.01
(39) 03-CR-1N-A344B-FA (30) 03-CR-IN-A344B-FB	2:26	DW	Grab		Laconolisticionico	1	250 ml Pinstic	Lead	P27-01024-33

SAMPLES RECEIVED PRESERVED W/HNO

| PDF | PDF | Std. | Reduc | Full | EDD | Post | Post | EDD | Post | Pos

Page 2 of

MATRIX

CODES:

GW = Ground Water, WW = Waste Weter, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge,

B = Blank, K = Solid (specify) :

PRESER 6 = 100 1 = HCI
VATIVE 2 - H2504 3 = NeOH
CODES: 4 = HNO3 5 = Other

	Print Name:	Signature:	Сестролу	Date + Time
Relinquished:	Basit Rehman	AFT	216	2/6/22;7:20 pm
Received:	Mork B. Festelson	- VILLE	NS.	- l- l- s
Relinquisheds	Mark D. Feitelson	1/30 Miles	ALS.	3(7(33
Received:	Lyna Souza	Jyur your	ΆS	07:10 am
Relinquished:		•		
Received:		ACRES AND ASSESSMENT OF THE PROPERTY OF THE PR	<u> </u>	



HET PRINTERVELLE ROAD TOOM RIVER, HJORTST PHONE THE STATE FAX TOTAL TELE

			ş	School Name	149	MAJA	\mathcal{M}	four Jus
stomer: FSSex County Schools of		an en commercio de de la		School Addres Sampled B		R	1030	
dress: 60 Nelson Pl, Newark, NJ 07102		**************************************		Print Name			Res	<u>NMAW</u>
ine:	and the state of t			RESULTS TO	***************************************			
Sample ID Location	Date: Time Sampled	Matrix Code	Grab or Comp	Chart: Filher Luscopie Process	# Con-	1 07	Anaty	LAB ID
81) 03-CR-IN-A344B-FC	2 728	ĐW	Grab		1	250 ml Plastic	Lead	P33-01034-37
03 - CR - IN- AS4413 - FD	2:28	DW	Grab		1	250 mi Plastic	Lead	The second secon
3) 03-6R-8Y-A246 F Faculty	and the second of the second o	DW	Grab	Managangang managang pengangangan		250 ml Plastic	Lead	
D 03- FR- IN- A313- FP	2129	DW	Grab		1	250 ml Plastic	Lead	-35
8) 03-13R-104-10350EA	2:24	DWL	.Grab			250 ml Plastic	-Lead-	The state of the s
	12-30	DW	Grab	ess (mass e cosse assessment	1	250 ml	Lead	
) - +	4:30	DW	Grab	<u> </u>	1	250 mi Plastic	Lead	
B) TP	7-30	- אכ	-Grab.			250 ml Plastic 250 ml		Order Collision of
D 03- HA- BY- B350- WF.A	2:31	DW	Grab		1	Plastic 250 ml	Lead	- 34
6) 03- HA-BY-8350-WF-B	2:31	W	Grab		1	Plastic 250 ml	read	-37
03-88-BY-B351-FA	2:32	DW	Grab			PIASSIC ZEQ.ml		And the state of t
D3-613-84-8551 - FB	2:32	DW	Grab		1	Plastic 250 ml	Lead	
	7:53	DW	Grab GL		1	Plastic 250 ml		
	2:35	:	Grab Grab		1	Plastic 250 ml		P20-01004-31
(S) 03-GH-IN- B859- FA	10.93	<u> </u>				Plastic	<u> </u>	L. 93-11/13-6-51
MPLES RECEIVED PRESERVED W/HNO3	Deliverables:	-	PDF Reduc	1: I	POF Full	EDD	- iii	
Page 3 of L	Deliverance:	L.^_			_L	 =3	јижез: Е	
GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Soild (specify):							VATIVE	0 = 1ce 1 = HCl 2 = HZSD4 9 = NBOH 4 = HNO3 5 = Other
Print Name:		1		Signature	a .		Company	Date + Time
iquished: Bant Rehmon lved: Mort O. Feitelson			VI.	K), ,	×	en en	2/6/22;72
ngulshed: Mark & Fertelson			Mj.	WAI -	62		PAS	3/7/28
ived: Lynn Sovera			A.	v Xo	vo-	ń-	AS	07:10an
							41	31



1461 WHITEGVELE ROAD TOWN PAVER, HI ONTEN PHONE 732414-1515 FAX 132-614-161

	and the state of t									ne Te
stomer: Essex County School of Tech	National and in the second of the second		3	School Ad Sample	. 1		The second second	rican	7*:	int policy for the property of the policy of
less 60 Helson Pl. Newark 07/02	and annual control of the first			•	- 1			ام	hum	
and the second s	ningin — minorio manazaran ili ili	allanumuna)		RESULT	5 TO:	li Lad	1 C	a wasa	~(a) ~v	Llw
ne:			.	i					- 	
Sample ID Location	Date: Time Sampled	Matrix Code	Grab or Comp	Photh Streeple	Filtar Present	# Con- tainers	Gien or Plank	Analy sis	L .	AB ID
90 03-GH-IN-B359-FB	2:37	DW	Grab			1	250 ml Plastic	Lead	0-649	1634-39
17 03-GH-IN-B359-FC	2:38	ĐW	Grab		was the same of th	1	250 ml Plastic 250 ml	Lead	SE CONTRACTOR OF THE PARTY OF T	-30
D TD No Sawke	200	DW	Grab	-	nije samoje na na	1	Plastic 250 ml	Lead		Warris and the best of the same of the sam
9 02 - 6B - BY - BIST - FA	5:43	DW	Grah			1	Plastic 250 ml Plastic	Lead		
50 02 6 FB	2:42	DW	Grab Grab			1	250 mi	Lead	CA James A registration of the Carlotte of the	
		DIA	-Gmb			1	Piastic 250 mi	Lead.		The second secon
6) 02 GB BY B251 FD	2:45	DW	Grab			1	250 ml Plastic	Lead		-91
50) 02- HA-BY-B2SI - WF.A 54) 02- HA-BY-B2SI- WF.B	2:46	ow	Grab			1	250 ml Plastic	Lead		-3
F) 02 BR - BY - BAST - FA	1779	DW.	Grab.			1	250 ml Plastic	Lond	**************************************	
(4) FB	Z:47	DW:	Grab		· · · · · · · · · · · · · · · · · · ·	1_1	250 mi Plastic	Lead		<u> </u>
S) - FC	27.V8	wa	Grab			1	250 ml Plastic	Lead		
GD = FD	34.4	DW				1	250 ml Physic 250 ml			
@ Oa- FR- BIN-ADIS- FP	2:50	DW	Grah		************	1	Plastic 250 ml	Land	1334	7(034-3
6) 02-BR-BY-A235-F	2.52						Plastic			
AMPLES RECEIVED PRESERVED W/HNO3		-	PDF Reduc	C		POF Full	EDD	Date/lime Preserved	•	
Page 4 of 44	Deliverables	X	<u> </u>	<u> </u>	· 	1	1	limor		
MATRIX CODEs: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Slank, K = Soild (specify):							***************************************	VATIVI	q 0 ± c+ 1 = E 2 = H2504 3 = • 4 = HNO3 5 =	NeOH
Print Name:	ways are present the fact that the fact	1) (American programme)	Signo	sture:			Company	Da	te + Tima
elinquished: Basit Relyment	Hill short and the state of the	- I	V	态	4	25		X 2	2/6/	22;712
plinquished: Mark D. Feiteloon sceived: Lynn Source			岩		2h	_== -7/-	er-	W.2		
alinquished: aceived:			Ŋ	<i>*</i>		~		-		

B = Blank, K = Solid (specify):

SHE WHITEBYELE ROAD TOWN RIVER, MI ONTE PHONE 722-414-1515 FAX 722-614-1816

CHAIN OF CUSTODY

	School Name:	Brald
Customer: Essed County School of Tech.	School Address	"HAS I
Address 60 No Son Pl. Mowark 07/02	Sampled By:	B-R
manufact to the property of the state of the	Print Name:	Basic Re
Phone:	RESULTS TO:	basit veh

M. Princted hmom worliese pa man.

A Section of the Contract of C	111111111111111111111111111111111111111								
Sample ID Location	Date: Time Sampled	Matrix Cods	Grab or Comp	₹unb Serepi•	Filiet Present	# Con- toiners	Glass or Plastic	Analy sis	LAÐ ID
6) va - 18 - 134 - 1241 - F	2:55	שת	Grab		and the second second	- T	- 250 mi Plastic	Lead	
@ 02-CR-IN-A241I-F	2:55	DW	Grab			1	250 mi Plastic	Lead	192-01034-34
(6) 02- CR-IN- AZYIA- F	2:56	DW	Grab			1	250 mi Plastic	Lead	-35
(64) 02- CR-IN- AZ41C- F	2:58	υW	Grab			1	250 ml Plastic	Lead	_36
(60) - 02 - BR-IN-BER-AZHI-F	3:35	DW.	Grab.			1	250 ml Plaxik	-tend-	Augustus 4 (1975) Transition of the same o
60-02-BK-11-GLR-ASH-F	3:01	DW	Grab	***************************************			250 ml Plastic	-tend-	A Substitution of the subs
69 02-CR-IN-A245-F	3-,03	DW	Grab			1	250 ml Plastic	Lead	-37
60 02- CR-IN-A244C-F	@at 3:05	DW	Grab	:		1	250 ml Plastic	Lead	-38
(9) 02 - CR- IN- AZ44A-F	307	DW	Grab			1	250 ml Plastic	Lead	-37
10 02- CR- IN- A242- FA	3:19	DW	Grab			1	250 ml Plastic	Lead	-40
@ 02-CR-IN-A242-FB	3:21	DW	Grab			1	250 ml Plastic	Lead	_4(
@ 02 CR - IN- A 242 FC	3:21	οw	Grab			1	250 m) Plastic	Lead	V -43
@ 02-CR-IN-A242-FD	3:22	DW.	Grab			1	Z50 mi Plastic	Lead	57-46010-669
@ 02-6B-BY-A242-FA	3:09	DW.	Grab	************		1	250 ml	Lead	articipa in annual province de la companya de la co
Ö-FB	3:10	DW:	Grah	-	***************************************	1	250 mi	Lead	

SAMPLES REC	EIVED PRESERVED W/HNO3		PDF Std.	PDF Reduc	i in the second	POF Full	EDD	Date/lime Preserved
Page à	ું લું કું	Deliverables:	X	<u></u>		L	<u> </u>	hriera.
MATRIX CODES:	GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Soild (specify):		With the second					PRESER Dales 1a HCI VATIVE 2 = H2504 3 = NaOH CODE: 4 = HNO3 5 = Other

Date + Time Signature: Print Name: Basit Rehnom Mark D. Feitelson Mark D. Feitelson Lynn Sours MS 2/6/22; 7:20 PM Relinquished: IM? Received: 2(7/2) 1 Relinquished: 07:10 am CAS Received: Relinquished: Received:

* please do not test any samples that are crossed out-



SHE WHITEEVELE ROAD TORE RIVER NUMBER PROME TAXALLISTS FAX TAXALLISTS

CHAIN OF CUSTODY

									Payne Teth
Customer: Essex County Schools of technolog Address: 60 Nelson Race, Nework, NJ 07102	24 X		9			Service services and the services and th		Mari	ret st. Nuk Ni
Address: 60 Nelson Mace, Newark, NJ 07102	animanimaniman A A	: 			led By:			73°I	MANA SANS
maker reperturbation and commence of the comme					Name:	and the second second	Company of the Compan	ALL STREET, ST	an Qantilicon
Phone:	ennisatetenantaman estat itt					N-1-1	171.151.711	7	Walter Company
Sample ID Location	Date: Time fampled	Metrix Code	Grab ar Comp	Pluth (overple	Pikar Preiens	# Con- tainers	Glass or Plastk	Analy ris	LABID
AD DO GB BY ADD FC	***************************************	w.	Grah		Participation of Campunity	1	250 ml Plastic	-tend	and the same of th
4		DW	Grab	energy (p) (panis		1	250 ml Plattic	Lead	des COORDINATION (AND AND AND AND AND AND AND AND AND AND
TO ON BY BY AND PA	3:12	WD.	Grab			1	250 ml	Lead	Agricultura de la constitución d
<u></u>	3:17	DW	Grab	PENNANT WATER		1	250 mi Plastic	Lead	Merce Contraction of the Association of Contraction
(89)	3:114	DW	Grab			1	250 ml Plastic	Lead	on the contract of the contrac
80 - FO	3:15	DW	Grab	work was to the till		1	250 ml Plastic	Lead	*
(82) 02- HA- BY-AZYZ- WF.A (BOKOW)	3:16	DW	Grab			1	250 ml Plastic	Lead	P20-01024-44
10 02- HA-BY-A242WF.B	F116	DW	Grab			1	250 ml Plastic	Lead	-45
@ 02- OF- IN- D259- FP	3:25	DW	Grab			1	250 ml Plastic	Lead	-46
80 01- FR- IN- DISTG- FP	3:30	DW	Grab			1	250 ml Plastic	Lead	-47
(86) 01- BR-11-BY-DISTR F	3.31	DW	Grab		***************************************	11	250 ml	Lead	Andrew College
(97) - OH - GB - BY DISIQ- F	3:33	DW	Grab			-	250 ml Plastic	l-tend-	Marine de la companya de la company
28) 01-MO-IN-DISZA-FP	3:35	DW	Grab			1	250 mi Plastic	Lead	-48
89 01- MO- IN- DISAD- F	3:36	DW	Grab			1	250 ml Plastic 250 ml	tead	_49
90 01- MBR-IN-DISA-F	3:37	DW	Grab			1	Plastic	Lead	P23-01024-50
SAMPLES RECEIVED PRESERVED W/HNO3		PDF	PDF			PDF Full	EDD	15/ite/Dipor	
Pages (of ASS 11)	Deliverables:	F	Reduc		***************************************	run		treversed legits jinora:	
Page 6 of 4 1 1				· · · · · · · · · · · · · · · · · · ·					0=tre 1≖HCi
GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify);						inimia i Laini i Sannanio		VATIVE	2=H25O4 3=NaOH 4=HNO3 5=Other
Print Name:	and the second of the second o	1		Sign	ature:	**************************************		Company	Date + Time
Relinguished: Prasit Relinguished:	***************************************	Ī	-	D	^	**************************************		214	2/6/22;7:2084
Received: Mark D. Feitel son		-2	10	4	X_{+}	e_		MS	
Relinquished Mark D. Fettelson			Mp	50cX	tri		· Europe	MS	2/7/28
Received: Mark D. Feitelson Received: Mark D. Feitelson Received: Lynn Source Relinguished:			J.	hydragen.	you	iz	·	PAS-	07:10 am

* Please do not test samples that are crossed out.



THE WHITERVELE ROAD TOKE RIVER, NJ OUTSE PHONE 712-414-1515 FAX 711-414-15

	and the second s	Siepen Billings				;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;			Payne Tech
customer Essex County School of Tech	Ø. σ⊋!	or 9			ndress led By:			Acash	ef st
Address: 60 Nelson Pl. Newark My				•	~.		****	Rel	NAMAN.
Phone:									con@guilcon
Sample ID Location	Date: Time fampled	Matrix Code	Grab	Plants Iomple	Fixer Protes	# Con-	Glass	Analy	LABID
	7,11,1		Comp		· ·		Plantic 250 ml		*
@ 01-BR-BX-D156A- RA	3:40	DW	Grab		ď	1	Plastic 250 ml	Lead	
- FB	3:40	DW	Grab				Plastic	Lead	1
The house of the second	3:41	pw	Grab			1	250 ml Plastic	Lead	
(FD) \-FD	3:41	D₩	Grab.			1	Plastic 250 ml	Lead	
A - FE	3:42	DW	Grab			1	Pinstic	Lead	
面 一个	8 43	DW	Grab	1		1	250 ml Plastic	Lead	
FG FG	3:43	DW	Grab			1	Plastic 250 ml	Lead	1
AB	3:44	/pw	Grab			1	Plastic 250 ml	Lead	
@ 01-HA-BY-D156A-WFA	3:46	DW	Grab			1	Plastic 250 mi		PDD-010345
60 01 - HA-BY - DISTA - WF-B	3:48	DW	Grab			1	Plastic 250 ml	1	P27-01024.57
(OL GB BY DISTA- FA)	8.50	J.,	0,100			/	Jilastic 250 ml	1	1
(B) / - FB	3/51	WG	Grab	. ا		1	Piastic 250 mi	Lead	
100 / - 天	13:52	DW	Grab			1	Plastic 250 mf		
P / FD /	3:52	DW	Grat			1	Plastic 250 ml	Lead	
(05) /-FE	3:53	DW	Grab	<u>L</u>	<u> </u>		Plastic	Lenu	
SAMPLES RECEIVED PRESERVED W/HNO3		PDF	PDF			PDF Fuli	EDO	Data/High	
Page 🕇 of	Deliverables:	Std.	Reduc		<u> </u>].		Preserving Julia junts:	
GW = Ground Water, WW = Waste Water, SW = Surface Water,	V.				/ <u>·</u>		7	PRESER	0 = Ice 1 = HCI
MATRIX CODES: GW = Ground Water, WW = Waste Water, 500 - Strace Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):		e Anno de la comp (s	on an annual derivity	***************************************		dana menangan	===	VATIVE	2 = HZSDG 3 = NaOH 4 = HRO3 5 = Other
Print Name:				Sign	ature:			Compression	Date + Time
Rollinguished: Rayt Rehman Received: Mark D. Feitelson Received: Lynn Source Relinguished:	ika a fala ka ka ka panasanananan ika para ana ana ana ana ana ana ana ana ana	1	は後期	STATE OF THE PARTY	4	- C	ANO SEE OF LOSS OF LOS	かなななななななななる	
Received:		٠		ner was seeming a	41103411(4)1(Walde)				
* please do not fest sample	s H	w.		cur		CY	`08	5 =	dowl.



atti neitenvelle road toma river, hi ortsa phone 732-441-1516 fax 733-441-1618

istomer: ESSEX COUNTY SCHOOL OF TEST address: 60 Nelson DI. Newark NJO			S	Print	led By: Name:		8 4		aree	4 4 4 .
ione:	THE COURT OF THE PARTY OF THE P	man de la constante de la cons		RESU	LTS TO:	<u></u>	·			
Sample ID Location	Date: Time iampled	Mutrix Code	Grab or Comp	Fjush Jarapia	Fifter Protest	# Con- tainers	Glass or Plantk	Analy sis	n	\8 ID
(06) 61-63-84-DIS6A-FF	**************************************	DW	Crab	and the same of			250 ml Plastic	tead-		
<u>a</u>	- Contractive of the second se	- 1 3W-	-Grah.	***************************************			Plastic 250 ml	tead		
(4)		D144	Grab			1	Plastic 250 mi	Lead.		·
@ 01- CR-IN- DISGA-F	3:58	DW	Grab			1	250 mi	Lead	(22.2-0.	1034-5 4-5
10 01- HA- BY- A124- WF.A	3:59	DW	Grab			1	250 ml	Lead		
@ 01-HA-BY-A129-WF.B @ 01-CR-IN-A135-F	4:01	DW	Grab	Amazara Manaza (Appropried		1	250 ml Plastic	Lead		.5(
13 01 - CR - IN - A135 - FA	4:05	DW	Grab			1	250 ml Plastic	Lead		15
19 01- CR - IN-A134 - FB	4:06	DW	Grab			1	250 mi Plastit			-59
(16) 01- HA - BY - B138 - WF.A	4:09	DW	Grab			1	250 ml Plastic	reac		-5
(11) 01- HA- BY-B138-WF-B	4:10	ĐW	Grab		-	1	250 ml Plastic 250 mi	(690		- (81
(A) 01-LR-1A-B140-F		1344	Grab			1	250 ml	Lead		initian marianta de la compania del compania de la compania del compania de la compania del compania de la compania de la compania de la compania del compania de la compania de la compania de la compania del compania
1 01- CR- IN- B141-FA	4:12	DW	Grab			1	Plastic 250 m	lead		- (c) () - (v)
1 01 - CR - IN - B141 - FB	W:(3	DW	Grab	-		1	Plastic 250 m Plastic		PYY	(03A-C
@ 01-CR-IN-B141-FC	4:13	<u> </u>			<u> </u>	PDF	1		<u>L</u>	
Page 2 of 14	Deliverable	. }	PDF Redu			Full	EDD	Date/film Preserved Vykli Hilima		
#ATRIX CODEs: B = Blank, K = Solid (specify):						proprieta de la constante de l		VATIV	R 0 = lc* 1 = E 2 = H2SO4 3 = 1 4 = HNO3 5 =	- NaoH
Print Name:	Service Annual Control of the Contro	L		Sig	nature	it		Central		te + Time
Relinquished: Datit Relinorm Received: Mark D. Fertelson Received: LYNN Source	and the definition of the defi		水水水	Si bi	A	res M	Common Automobile and Man	るなる。	3/7	2)7:22 (27 11.10as
He please do not frest any sample	+ 1			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	······································	osse		<u>L</u>	<u></u>	······································

Relinquished: Received:

PRECISION ANALYTICAL SERVICES, INC.

2161 WHITEBYELD ROAD TOWN RIVER, HUGGISH PHONE TESSIC 1916 FAZ 722-416-1916

customer: Essex County School of Tec Address: CO Nelson Pl. Newark NJ	4. 27102			School Nam chool Addri Sampled Print Nan RESULTS	rss [] C	18 L	/ `N	ynt Tech larker St. Imam
Phone: Sample ID Location	Date: Time Sampled	Motrix Code	Grab or Comp	Flash Fin	., # Con-	Glass or Plantic	Anoly	LAB ID
POI- CR- IN- BI41- FD	4:14	DW	Grab		1	250 ml Plastic	1	Parawac4
81-CR- IN- B143- FA	4: (3	Ð₩	Grab	į.	1	250 ml Plastic	Lead	-64
301-CR-IN-B143 - FB	4:48	DW	Grab		1	250 mi Přestic	Lead	-6/2
B 01 - CR-IN - B143 - FC	4:18	DW	Grab	:	1	250 ml Plastic	Lead	-67
01-CR-IN-B144- FA	4:20	DW	Grab		1	250 ml Plastic	Lead	-68
201-CE-IN-B144 - FB	4,51	DW	Grab		1	250 ml Plastic	Lead	Commence of the second
201 - CR - IN - B144 - FC	4:22	DW	Grab	:	1	250 ml Plastic	Lead	100
28 FD		₩	Gröb			250 mi Plastic	lead.	-
901-CR-IN-BI45- FA	4:25	DW	Grab	110	1	250 mi Plastic	Lead	-71
3001- CR- IN- 18145 - FB	4:27	DW	Grab		1	250 mi Plastic	Lead	-73
3) 01-CR-IN-B145-FC	4:28	DW	Grab		ı	250 ml Plastic		J13
3) 01 01 01 01 01 01 01 01 01 01 01 01 01		DW	Grab		1	250 ml	Lead	
133) 01 - CR- IN- B146- FA	4:30	DW	Grab		1	250 ml Plastic	Lead	1-74
130 01- CR-IN-B146- FB	V:30	DW	Grab		1	250 ml Plastic		V-75
130 01- CR - IN-BIH6-FC	4:31	DW	Grab		1	250 ml Plastic	Lead	15-Aco10-669
SAMPLES RECEIVED PRESERVED W/HNO	diameter resident in the second	PDF	PDF	ALER UNIVERSITY	PDF Full	EDD	Date/Time	And the second And th
Page N of 14	Deliverables;	james -	Reduc		Full Tourne	200	Preserved with HNOO:	
MATRIX GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soll, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):							VATIVE	0 = ite 1 = HCl 2 = H2504 3 = NaOH 4 = HNO3 5 = Other
Print Name:				Signatu	re:		Commeny	Date + Time
Relinquished: Barif Rehman Received: Mark D. Feite Son Relinquished: Mark D. Fettel Son Lynn Source		2	机队	·像:	1.5	Karimeni, marine	**************************************	2/3/22;7:20 3/7/88
Received: LNOT SOLETA			-1/2-	- Xou	Maria		MAS	07: (0 am



Received:

PRECISION ANALYTICAL SERVICES, INC.

2141 WHITESVOLE ROAD TOMS RIVER HIDSTSC PHONE 732-444-1515 FAX 752-914-1616

	en de la companya de	v.ac.2 (c.a.a)		School	Name:	Q_{2l}		*******	Ринс	
customer Esset County School of Tech.	managados de la composition della composition de	141 12000	9	ichool A Same	lddress iled By:		***************************************	MAZ	1/Gest	- 6 / .
Address: 60 Helson Pl. Newark 04102	nga nasara tanan kanal kan	o communication and a second con-			.,	Bai	***************************************	Red	144-44	
Phone:	Control Contro			RESU	LTS TO:	basi	₽.ye	عمومك	m@gm	od I con
Sample ID Location	Date: Time Sampled	Matrix Code	Grab or Comp	Pinsh Spenpie	Piker Present	# Con- talneri	Glass or Plastic	Analy di	LA	B 10
(136) 01-CR-BY-B143-FAA	4:33	DW	Grab			1	250 ml Plastic	Lead	P22-01	034-77
133 OI - CR - BY - BI43 - FB	4:33	D₩	Grab			1	250 ml Plastic	Lead) page and a constant	77 <u>¥</u>
118 01- CR-BY-B143-FC	4:34	Đ₩	Grab			1	250 ml Plastic 250 ml	Lead	and the contract of the contra	
139) 01 - CR - BY - B143 - WF. A	4:36	DW	Grab			1	Plastic	Lead	i con constituti de la	784
(40) 01 - CR - BY - B143 - WF. B	4:38	DW	Grab			1	250 ml Plastic	Lead	and the state of t	-21
@ 01- HA-BY-C168- WF.A	4340	DW	Grab			1	250 ml Plastic	Lead		763
(12) 01- HA-18Y-C168-WF.B	4142	DW	Grab			1	250 ml Plastic	Lead		-γ ₂
(13) 01- FR- IN- C160 A- FP	4:43	DW	Grab			1	250 ml Plustic	Lead	and the state of t	-84
(140) 01 - KI - IN - CI61 B - IM	4:45	DW	Grab	Anana		1	250 mi Plastic	Lead	Amenda (An an angala an	-85
(1) 01 - BR - IN - C161B - F	4:47	DW	Grab	-	aumora de la casa de l	1	250 mi Plastic	Lead		-84
140 01 - KI - IN - CIGIB - FPA	4:48	DW	Grab			1	250 ml Plastic	Lead		-87
(147) OI - KI - IN-C16/B- FPB	4:49	DW	Grab			1	250 ml Plastic	1		-37
(148) CY - KI - IN- CIGIB - FPC	4:49	: DW	Grab			1	250 ml Plastic 250 mi	Lead		-89-
149 01 - KI- IN-C161B - FPD	4:50	DW	Grab			1	Plastic 250 mi	reso	1	, qc
(50) 01- K1 - IN- C161 B - FPE	4:61	DW	Grab			1	Plastic	Lead	622-0	1024-41
SAMPLES RECEIVED PRESERVED W/HNO3		PDF Std.	PDF Reduc	:		PDF Full	EDD			
Page for 4	Deliverables:	X		<u></u>			<u> </u>	with the state of	one of the second second	
GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):						ANTHONY.	3	VATIV	8=ice 1=H E 2=H2504 3=6 4 4×HN08 5×C	HOAS
Print Name:	and the second s	Ĺ		Şig	nature			Company	Date	e + Time
Relinquished: Basit Rehman	A CONTRACTOR OF THE PARTY OF TH	-	6	\mathcal{L}	$\langle \cdot \rangle$	-		349	N6/2	2;7:20
Received: Mark O. Fectulos			1	wo	如	and Care		14A-3	2/7	133
Received: Mark D. Feltelson Lynn Souna		0	H	~ >	Soci	7 A-		FAS	l	110 am
Relinquished:			**			M.				



2101 WHITEBVELE HOAD TOKE RIVER, HJ 08755 PHONE 737-414-1515 FAX 732-914-1616

					rame: ddress	198 W Market Et.						
Customer: ESEX County Schools of tech nologe Address: 60 Nelson Prace, Newatk, NJ, 07101		A		Sampl			it Rehmers					
					Name:	ß.	######	mercania min	Market service of the first contract of the			
Phone:	ainminiment of the second			RESUL	TS TO:	besit	··reu	100.001	egmail-com			
	Date: Time Sampled	Mateix Code	Grab ar Comp	Fluit: Comple	Filter Provent	# Con- taineri	Gigs ar Plante	Analy sls	LARID			
(5) O1-KI-IN-C161B-FPF	\$4:52	οw	Grab		:	1	250 जा। Plastic	Lead	622-01024-92			
(5D) 01 - K1 - IN - C161 B - FPG	4:54	ъw	Grab	:		1	250 ml Plastic 250 ml	Lead	1 -13			
(3) 01- KI- IN-C161 B- FPH	4:55	DW	Grab			1	Plastic 250 ml	Lead	2.4			
(S) 01- KI - IN- C161B-FPI	4:55	DW	Grab			1	Plastic 250 ml	Lead	-45			
60 01- KI- IN- CI61B -FPK	4:56	DW	Grab			1	Plastic 258 mi	Lead	-96			
50 01- KI-IN- CIGIB - FPL	4:57	DW	Grab			1	Plastic 250 mi	Lead	-97			
(157) 01- KI- IN- C16/B-FPM	4:59 4:59	DW	Grab			1	Plastic 250 ml Plastic	Lead	_98 _99			
(158) 01- KI-IN- C1618 -FPN	5:00	DW	Grab			1	250 mi Plastic	Lead	-600			
(159) 01- KI-IN- C161B-FPP	5:01	DW	Grab			1	250 mi Plastic	Lead	-(01			
@ 01- KI - IN - C1618 - FPQ	5:01	рw	Grab			1	250 mi Plastic	Lead	-(0)			
@ BS-ER-IN-COME - FP	5:07	DW	Grab			1	250 mł Plastic	Lead	-60			
(63) BS-CR-IN-CO20- HW	5:08	WG	Grab			1	250 ml Plastic	Lead	-104			
189 BS -GLR- IN-CO22A- FA	5:09	bW	Grab			1	250 ml Plastic 250 ml	Lead	V -165			
OBS BS-GLR-IN-COLZA-FB	5:10	DW	Grab			1	Plastic	Lead	122-21024-106			
SAMPLES RECEIVED PRESERVED W/HNO)		PDF	PDF Reduc			PDF Full	EDD	distribus:				
Page of LY,	Deliverables:	5td.	Reduc			1	1	Provident South Liners				
		1,	ross-stant-dillentit				Ï	Tanana	0= ce 1= HC			
WATRIX GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, 8 = Blank, K = Solid (specify):	WANTS 1911 American		Newsonia (Construction Construction Construc			i i	=	VATIVE	7 = H29O4 9 = NaOH 4 = HND3 5 = Other			
Print Name:				Sign	ature:			Cempuny	Date + Time			
Relinquished: Basit Rehman Received: Mark D. Feitelson Relinquished: Mark D. Feitelson Received: Lynn Sowra	W. V.	-2	di M		7		Section of the sectio	14/2 14/2 14/3	2/6/227:201			
Received: Lynn Source Relinquished:		F	y.	-J.	إمافعة	<i>\$</i>		M2	07:10 am			
Received:			w		(4)	···	······					



THE WHITEWALE ROAD TOWN PIVER, MIGHTS PHONE TYPANA 1915 PARTITALANA

180) BS-K1-IN-COLUC

CHAIN OF CUSTODY

	·						kyne Tech				
customer: ESSEX County Schools of technology						Mey	lest Ct.				
Address: 60 Nelson Place, Newsonk NJ 07102			pled fly: t Name		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Pal.					
Phone:				Basit Rehman basit rehman@gmail.com							
		ap		1	Glare	 [-	N -				
Sample ID Location Co-True Sampled Co-	ni vine	First Fomple	Filler Present	# Con- tainers	or Piantic	Analy sis	LAB ID				
8(14) BS-BLR-IN-CO226-FA 6:12 "	W G	ab		1	250 ml Plastic	Lead	PDD 01024-607				
	W G	ab		1	250 ml Plastic	Lead	- (.08				
- Comments	w G	ab		1	250 ml Plastic	lead	-109				
	W Gi	ab		1	250 mi Plastic	Lead	-110				
k 2 1 1 1	W G	ab		1	250 mi Plastic	Lead					
	W G	ab		1	250 ml Plastic	Lead	- 43				
V	W G	ab		1	250 ml Plastic	Lead	-113				
	iW Gi	de		1	250 ml Plastic	Lead	- 114				
	W G	ab		1	250 ml Plastic	Lead	- (65				
(BS - KI - W-CO24C - FP F(HW) 5:25 0	W GI	ab		1	250 ml Piastic	Lead	-116				
	w G	de		1	250 mi Plastic	Lead	-17				
(17) BS-K1-1N-CO24C-FPH 5:260	W G	ab		1	250 ml Plastic	Lead	-(18				
	W G	rab		1	250 ml Plastic	Lead	-49				
; ···· · .	W G	rab		1	250 mi Plastic	Lead	- (30				

SAMPLES RECEIVED PRESERVED W/HNO3 PDF PDF EDD Bakfring Std. Reduc Deliverables: Х Page 12 of 14 PRESER 0 = ice 3 = HCl GW = Ground Water, WW = Waste Water, SW = Surface Water, MATRIX VATIVE 2 = HZSO4 3 = NaOH DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, CODEN 4=HNO3 3=Other CODES: B = Blank, K = Solid (specify):

***********	Print Name:	Signature:	Company	Date + Time
Relinquished:	Barit Rehman		145	2/6/22;7:2094
Received:	Unk O, Feitelson	1-1000 A-	M-	E
Relinquished:	Mark D. Feitelson	Wind + -	145	1
Received:	Lyhn Soura	They down	NS.	07:10am
Relinquished:				
Received:		 		

ĐW

PDF

Reiinquishod: Received: Relinquished: Received:

PRECISION ANALYTICAL SERVICES, INC.

2161 WHITESVELE ROAD TOMS RIVER, NI 10155 PHONE 132414-1515 FAX 721-614-1616

				School !	Vame:	Dona	ld r	1. P.	MYL	Ted	
Customer: Essex Convey Schools of Technol	5	School A			W MATHET SELNWE						
Address: 60 Nelson Place, Newayle, NT C			led By: Name:	<u>18-12</u> 13-2	20 6-	Rehmon					
Phone:						*************	********************	nail.com			
Sample ID Location	Matrix	Grab	Flesh	Pikur	# Con-	Glass	Analy	LAB ID			
Alliba to receion	Time Sampled	Code	Comp	(ample	Present	tainers	Plantic	sls .			
(181) BB-BS-KI- IN-CO24A- FPA	5:41	DW	Grab			1	250 ml Plastic	Lead	1-6c4	16034-122	
(18) BS- KI-IN-CORYA - FPB	5,42	ъw	Grab			1	250 mi Plastic	Lead	:	-193	
(183) BS-KI-IN- CO24A-FPC	5.42	DW	Grab			1	250 ml Plastic	Lead		-174	
(184) BS-KI-IN-CO24 A -FPD	5:43	DW	Grab			1	250 mi Plastic	Lead	:	-125	
(185) BS- KI- IN- COA4 A -FRE	5:44	DW	Grab			1	250 ml Plastic	Lead		-196	
(186) BS- KI- IN- COQYA-FPF	5:44	DW	Grab			1	250 ml Plastic	Lead	i.	-('7')	
(187) BS- KI - IN - COA4A - FPG	5:45	DW.	Grab			1	250 mi Plastic	Lead		-128	
(198) BS- KI - IN- COAYA - FPH	5:46	ow	Grab			1	250 ml Plastic	Lead		-139	
(19) BS- KI-IN-COQ4A-FPI	5:48	DW	Grab			1	250 ml Plastic	Lead		-130	
190 BS- KI - IN- CO24A - FPJ	5:49	DW	Grab			1	250 ml Plastic	Lead		-13(
(P) BS- KI - IN - COAYA - FPK	5:50	DW	Grab			1	250 ml Plastic	Lead		-133	
(92) BS- KI- IN- CO24 A-FPL	5.52	DW	Grab			1	250 ml Plastic	Lead		-133	
(193) BS - KI - IN - COLYA - FPM	5:52	DW	Grab			1	250 ml Plastic	Lead		-134	
199 BS- KI - IN- COLYA-FPN	5:53	DW	Grab			1	250 mi Plastic	Lead	_	v -135	
(90) BS- KI- IN- CO24A-FPO	5:54	υW	Grab			1	250 mi Plastic	Lead	629-0	1024-136	
SAMPLES RECEIVED PRESERVED W/HNO3 (22)		PDF	PDF			PDF		Date/Time			
Page 13 of 14	Deliverables:	-	Reduc	Ī	and of any place	Full	EDD	Preserved Milli MKRR:			
Contraction of the Contraction o				cession was supported by			7	DRECER	Delce 1	≠ HCl	
MATRIX CODEs: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soli, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):								VATIVE	2 = H2504 3 4 = HND3 5	= NaOH	
Print Name:	Andreas Control of the Control of th	1		Sigr	ature:			L	Do	rte + Time	
Relinquished: Basit Rehman	And the second s	ĺ	L	· ~	$\sqrt{\ }$			JA/2	2/6/2	12 17 1201	
Received: Mart D. Feitelson		-7	WE	orto	% +			MAS	1.	1.	
Relinquished: Mark D. Fertelson Received: 1200 Sower			13	leix	1 t	Security and Security Security	MICROSON AND AND AND AND AND AND AND AND AND AN	PAS	947	194	
Received: Lynn Sourch			141	زب	KG (>	1	ar.	CAS	1 0	7:10 am	



Relinquished: Received:

PRECISION ANALYTICAL SERVICES, INC.

### Company of the control of the co	natamatatanaiannistaire—		4 -			Section of the Party of the Par			Payne Tech	
customer: ESSEX Granty Schools of teelen	NRO10	ir	!			San Artistan Company of the Company	************	Ucre k	er St.	
Address: 60 Nelson Place, Newsork, NJC			led By:							
and the state of t				Yes S	<u>.</u>	Ken	Luan			
Phone:				RESU	LTS TO:	DAS.	<u>t.r</u>	<u>s</u> m	newegumi-ct	
Sample ID Location	Date: Time Sampled	Matelx Code	Grab or Comp	Flats Sample	Pilter Protest	# Con- tainers	Glass or Plantk	Analy	LAB ID	
196) @BS-KI-IN-COZYA- FPP	5:33	вw	Grab			1	250 ml Plastic	Lead	Par-01004-137	
(97) BS-KI-IN-CO24A-FPQ	5:35	DW	Grab			1	250 ml Plastic	Lead	-138	
(98) BS-KI-IN-COZYA-FPR	5,36	DW	Grab			1	250 ml Plastic 250 ml	Lead	J1?A	
(99) BS-KI-IN-COLUA- FPS	5.36	DW	Grab			1	Plastic 250 ml	Lead	-140	
BS-KI-IN-COQYA-PPT	5.37	DW	Grab			1	Plastic 250 ml	Lead	-14(
BS- KI - IN-COLYA- FPU	5,37	DW	Grab			1	Plastic 250 ml	Lead	-143	
202) PS- KI- IN TO24A - FPV	6.38	DW	Grab		L	1	Plastic 250 ml	Lead	-(4)	
(203) BS- KI- IN-CO24A-FPW	5:39	DW	Grab			1	Plastic 250 ml	Lead	- (A. d.	
BS- KI - N - CO24A - FPX	5.40	DW	Grab			1	Plastic 250 ml	Lead	145	
(205) BS-CF-IN-CO25-FP	5:41	DW	Grab			1	Plastic 250 ml	Lead	-146	
and BS-POE-IN-COS2-Flush	6: 12	DW	Grab	K		1	Plastic 250 ml	Lead	-(47	
(207) 01- KI- IN- CIBIB- FPJ	4:56	DW	Grab	:		1	Plastic 250 ml	Lead	V (48	
(208) BS- KI - IN- COZ4A- IM	5:45	DW	Grab Grab	ê		1	Plastic 250 ml	Lead	P>>-010>4-149	
	 				ļ		Plastic Zacroi		:	
		DW	Grab			1	Plastic	Tead-		
SAMPLES RECEIVED PRESERVED W/HNO3 (2)	And the second s	PDF	PDF			PDF				
	j	5td.	Reduc	pian-menorome	governo o successo	Full	EDD	distrifting transmind Logi		
Page 14 of 14	Deliverables:	Х		<u>.</u>	<u> </u>	<u></u>	J	inga p jarih		
MATRIX CODEs: B = Blank, K = Solid (specify): GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):						angan perindih mandi		VATIVE	0 = tre 1 = HCi 2 = H2SO4 3 = NaOH 4 = HNO3 5 = Other	
	a									
Print Name:		<u> </u>	 *	Sign	ature:			Company	Date + Time	
Relinquished: Basit Rehman Roceived: Hove Or Feitelsun		7	R	ans	刹	mil Ann	>	P45	2/6/225730	
Relinquished: Mark b. Fertelson		, 4	/L	uha V	of manor	<u> </u>		J. 12	91138	



Attachment D

Excel Template for Lead Results

Appendix D **Excel Template for Lead Results**

Client: Essex County Schools of Technolgy Project ID: Donald M. Payne Tech, 498 W. Market St., Newark, NJ

Field ID Field Blank POE-IN-C032-F 03-HA-BY-A322-WF-A 03-HA-BY-A322-WF-B 03-CR-IN-A340A-FA 03-CR-IN-A340A-FB 03-CR-IN-A340A-FC 03-PR-BY-A340A-FA 03-PR-BY-A340A-FA 03-PR-BY-A340A-FB 03-CR-IN-A340C-FA	N N N	Sample ID P22-01024-01 P22-01024-02 P22-01024-03		Lab. ID NJDEP 15001	Sampled 2/6/2022	Sampled 13:45	Method	Analysis 2/9/2022	Analysis	(ug/L)	(ug/L)	DF	(Y/N)	Qfr.
POE-IN-C032-F 03-HA-BY-A322-WF-A 03-HA-BY-A322-WF-B 03-CR-IN-A340A-FA 03-CR-IN-A340A-FC 03-CR-IN-A340A-FC 03-CR-IN-A340A-FD 03-PR-BY-A340A-FA 03-PR-BY-A340A-FB	N N N	P22-01024-02		NJDEP 15001	2/6/2022									T
03-HA-BY-A322-WF-A 03-HA-BY-A322-WF-B 03-CR-IN-A340A-FA 03-CR-IN-A340A-FB 03-CR-IN-A340A-FC 03-CR-IN-A340A-FD 03-PR-BY-A340A-FA 03-PR-BY-A340A-FB	N N N		IPAS I				SM 3113 B		13:29	-0.55	2.00	1	Ni 	ND
03-HA-BY-A322-WF-B 03-CR-IN-A340A-FA 03-CR-IN-A340A-FB 03-CR-IN-A340A-FC 03-CR-IN-A340A-FD 03-PR-BY-A340A-FA 03-PR-BY-A340A-FB	N N	P22-01024-03		NJDEP 15001	2/6/2022	13:52	SM 3113 B	2/9/2022	13:41	11.1	2.00	1	Y	
03-CR-IN-A340A-FA 03-CR-IN-A340A-FB 03-CR-IN-A340A-FC 03-CR-IN-A340A-FD 03-PR-BY-A340A-FA 03-PR-BY-A340A-FB	N	000 04004 04		NJDEP 15001	2/6/2022	14:09	SM 3113 B	2/9/2022	13:57	-0.34	2.00	1	Ni Ni	ND
03-CR-IN-A340A-FB 03-CR-IN-A340A-FC 03-CR-IN-A340A-FD 03-PR-BY-A340A-FA 03-PR-BY-A340A-FB		P22-01024-04		NJDEP 15001	2/6/2022	14:10	SM 3113 B	2/9/2022	14:01	-0.34	2.00	1	N.	ND
03-CR-IN-A340A-FC 03-CR-IN-A340A-FD 03-PR-BY-A340A-FA 03-PR-BY-A340A-FB		P22-01024-05		NJDEP 15001	2/6/2022	14:15	SM 3113 B	2/9/2022	14:05	2.35	2.00	1	N.	╄——
03-CR-IN-A340A-FD 03-PR-BY-A340A-FA 03-PR-BY-A340A-FB	_	P22-01024-06		NJDEP 15001	2/6/2022	14:16	SM 3113 B	2/9/2022	14:09	2.56	2.00	1	N	
03-PR-8Y-A340A-FA 03-PR-BY-A340A-FB	N	P22-01024-07		NJDEP 15001	2/6/2022	14:17	SM 3113 B	2/9/2022	14:13	2.35	2.00	1	N N	╄
03-PR-BY-A340A-FB	N N	P22-01024-08 P22-01024-09		NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	14:17	SM 3113 B	2/9/2022 2/9/2022	14:25	2.15	2.00 2.00	1	N.	┼
	N N	P22-01024-09		NJDEP 15001	2/6/2022	14:18 14:18	SM 3113 B SM 3113 B	2/9/2022	14:29 14:33	2.56 7.12	2.00	1	N. N.	\vdash
IOD-CH-IM-MOHOC-IM I		P22-01024-10		NJDEP 15001	2/6/2022	14:19	SM 3113 B	2/9/2022	14:37	0.280	2.00	1	Ni Ni	ND
03-CR-IN-A340C-FB	N	P22-01024-11		NJDEP 15001	2/6/2022	14:20	SM 3113 B	2/9/2022	15:02	1.32	2.00	1	Ni	IND
03-CR-IN-A340C-FC		P22-01024-13		NJDEP 15001	2/6/2022	14:20	SM 3113 B	2/9/2022	15:06	1.94	2.00	1	N	tŕ
03-CR-IN-A340C-FD	N	P22-01024-14		NJDEP 15001	2/6/2022	14:21	SM 3113 B	2/9/2022	15:10	6.70	2.00	1	N	ť
03-CR-IN-A344A-FA		P22-01024-15		NJDEP 15001	2/6/2022	14:22	SM 3113 B	2/9/2022	15:14	1.73	2.00	1	N	1
03-CR-IN-A344A-FB	N	P22-01024-16		NJDEP 15001	2/6/2022	14:22	SM 3113 B	2/9/2022	15:18	2.15	2.00	1	Y	Ť
03-CR-IN-A344A-FC	N	P22-01024-17		NJDEP 15001	2/6/2022	14:23	SM 3113 B	2/9/2022	15:22	2.15	2.00	1	N	†
03-CR-IN-A344A-FD	N	P22-01024-18		NJDEP 15001	2/6/2022	14:23	SM 3113 B	2/9/2022	15:26	1.94	2.00	1	N	1
03-PR-BY-A344D-F	N	P22-01024-19		NJDEP 15001	2/6/2022	14:25	SM 3113 B	2/9/2022	15:30	4.42	2.00	1	N	Ť
03-PR-BY-A344C-F	N	P22-01024-20		NJDEP 15001	2/6/2022	14:26	SM 3113 B	2/9/2022	15:42	4.01	2.00	1	N	\Box
03-CR-IN-A3448-FA	N	P22-01024-21		NIDEP 15001	2/6/2022	14:26	SM 3113 B	2/9/2022	15:46	2.35	2.00	1	N	
03-CR-IN-A344B-FB	N N	P22-01024-22		NIDEP 15001	2/6/2022	14:27	SM 3113 B	2/9/2022	15:50	2.15	2.00	1	N	
03-CR-IN-A344B-FC	N	P22-01024-23		NJDEP 15001	2/6/2022	14:28	SM 3113 B	2/9/2022	16:06	10.6	2.00	1	Y	1
03-CR-IN-A344B-FD	N	P22-01024-24		NJDEP 15001	2/6/2022	14:28	SM 3113 B	2/9/2022	16:10	1.94	2.00	1	N	J
03-FR-IN-A313-FP		P22-01024-25		NJDEP 15001	2/6/2022	14:29	SM 3113 B	2/9/2022	16:14	0.073	2.00	1	N	ND
03-HA-BY-B350-WF-A	N	P22-01024-26	PAS	NJDEP 15001	2/6/2022	14:31	SM 3113 B	2/9/2022	16:27	-0.13	2.00	1	N	ND
03-HA-BY-B350-WF-B	N	P22-01024-27	PAS	NJDEP 15001	2/6/2022	14:31	SM 3113 B	2/9/2022	16:31	-0.13	2.00	1	N	ND
03-GH-IN-B359-FA	N	P22-01024-28	PAS	NJDEP 15001	2/6/2022	14:35	SM 3113 B	2/9/2022	16:35	6.50	2.00	1	N	
03-GH-IN-B359-FB	N	P22-01024-29	PAS	NJDEP 15001	2/6/2022	14:37	SM 3113 B	2/9/2022	16:39	1.11	2.00	1	N	J
03-GH-IN-B359-FC	N	P22-01024-30	PAS	NJDEP 15001	2/6/2022	14:38	SM 3113 B	2/9/2022	16:43	0.900	2.00	1	N _.	J
02-HA-BY-B251-WF-A	N	P22-01024-31	PAS	NJDEP 15001	2/6/2022	14:45	SM 3113 B	2/9/2022	16:47	-0.13	2.00	1	N	ND
02-HA-BY-B251-WF-B	N	P22-01024-32	PAS	NJDEP 15001	2/6/2022	14:46	SM 3113 B	2/9/2022	16:51	-0.13	2.00	1	N	ND
02-FR-IN-A215-FP	N	P22-01024-33	PAS	NJĐEP 15001	2/6/2022	14:50	SM 3113 B	2/9/2022	16:55	0.073	2.00	1	N	ND
02-CR-IN-A241 I-F	N	P22-01024-34	PAS	NJDEP 15001	2/6/2022	14:55	SM 3113 B	2/9/2022	16:59	2.35	2.00	1	N	
02-CR-IN-A241A-F	N	P22-01024-35	PAS	NJDEP 15001	2/6/2022	14:56	SM 3113 B	2/9/2022	17:11	3.39	2.00	1	N	<u></u>
02-CR-IN-A241C-F	N	P22-01024-36		NJDEP 15001	2/6/2022	14:58	SM 3113 B	2/9/2022	17:15	0.280	2.00	1	N	ND
02-CR-IN-A245-F	N	P22-01024-37	PAS	NJDEP 15001	2/6/2022	15:03	SM 3113 B	2/9/2022	17:19	4.63	2.00	1	N	
02-CR-IN-A244C-F				NJDEP 15001	2/6/2022		SM 3113 B	2/9/2022	17:23	2.77	2.00	1	N	<u> </u>
02-CR-IN-A244A-F				NJDEP 15001	2/6/2022	15:07	SM 3113 B	2/10/2022	11:05	0.730	2.00	1	N	NĐ
02-CR-IN-A242-FA				NJDEP 15001	2/6/2022	15:19	SM 3113 B	2/10/2022	11:21	6.52	2.00	1	N	ļ
02-CR-IN-A242-FB				NJDEP 15001	2/6/2022		SM 3113 B	2/9/2022	17:27	2.77	2.00	1	N	<u> </u>
D2-CR-IN-A242-FC				NJDEP 15001	2/6/2022		SM 3113 B	2/9/2022	17:31	1.73	2.00	1	N	j
02-CR-IN-A242-FD				NJDEP 15001	2/6/2022		SM 3113 B	2/9/2022	17:35	3.60	2.00	1	N	<u> </u>
02-HA-BY-A242-WF-A			- 1	NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	11:33	-0.07	2.00	1	N	ND
02-HA-BY-A242-WF-B				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	11:37	-0.07	2.00	1	N	ND
02-OF-IN-D259-FP				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	11:41	1.93	2.00	1	N N	J
01-FR-IN-D151G-FP				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	11:45	0.130	2.00	1	N	ND
01-MO-IN-D152A-FP				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	11:49	-0.07	2.00	1	N	ND
01-MO-IN-D152D-F				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	11:53	1.93	2.00	1	N.	1
01-BR-IN-D152-F 01-HA-BY-D156A-WF-A		P22-01024-50 P22-01024-51		NJDEP 15001	2/6/2022		SM 3113 B SM 3113 B	2/10/2022	11:57	1.33	2.00	1	N.	ND.
01-HA-BY-D156A-WF-B		P22-01024-51 P22-01024-52		NJDEP 15001	2/6/2022			2/10/2022	12:01	-0.07	2.00	1	Ni Ni	·
01-CR-IN-D156A-F				NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022		SM 3113 B SM 3113 B	2/10/2022 2/10/2022	12:05 12:17	-0.07 2.33	2.00 2.00	1	N N	ND
01-HA-BY-A124-WF-A				NJDEP 15001 NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	12:17	-0.07	2.00	1	N N	ND
01-HA-BY-A124-WF-B				NJDEP 15001 NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	12:21	-0.07	2.00	1	N	ND
01-RA-BY-A124-WF-B				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	12:25	7.72	2.00	1	N N	MD
01-CR-IN-A134-FA	$\overline{}$		$\overline{}$	NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	12:30	0.530	2.00	1	N N	ND
01-CR-IN-A134-FB				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	12:38	0.330	2.00	1	N	ND
01-HA-BY-B138-WF-A				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	12:42	-0.07	2.00	1	N	ND
01-HA-BY-B138-WF-B				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	12:42	-0.07	2.00	1	N	ND
01-CR-IN-B141-FA				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	12:50	13.5	2.00	1	N	110
01-CR-IN-B141-FB				NJDEP 15001	2/6/2022	-	SM 3113 B	2/10/2022	13:02	2.33	2.00	1	N	Н
01-CR-IN-B141-F6				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	13:18	11.3	2.00	1	N	
01-CR-IN-B141-FD			_	NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	13:22	3.73	2.00	1	N	
01-CR-IN-B143-FA				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	13:26	7.32	2.00	1	N	\vdash
01-CR-IN-B143-FB				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	13:30	8.51	2.00	1	N	
01-CR-IN-B143-FC				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	13:55	18.2	4.00	2	N	\vdash
01-CR-IN-B144-FA				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	13:59	2.93	2.00	1	N	
01-CR-IN-B144-FB				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	14:03	0.930	2.00	1	N	J
01-CR-IN-B144-FC				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	14:07	7.12	2.00	1	N	۲Ť

Appendix D **Excel Template for Lead Results**

Client: Essex County Schools of Technolgy Project ID: Donald M. Payne Tech, 498 W. Market St., Newark, NJ

•	Flushed	vi. Payne recn, 4s	Lab.		Date	Time	Analytical	Date of	Time of	Conc.	Rpt. Limit		Digested	
Field ID	(Y/N)	Sample ID	Name	Lab. ID	Sampled	Sampled	Method	Analysis	Analysis	(ug/L)	(ug/L)	DF	(Y/N)	Qfr.
01-CR-IN-B145-FA	N			NJDEP 15001	2/6/2022	16:25	SM 3113 B	2/10/2022	14.11	4.92	2.00	1	N	
01-CR-IN-B145-FB	N			NJDEP 15001	2/6/2022	16:27	SM 3113 B	2/10/2022	14:15	2.13	2.00	1	N	╄
01-CR-IN-B145-FC 01-CR-IN-B146-FA	N N			NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	16:28 16:30	SM 3113 B SM 3113 B	2/10/2022 2/10/2022	14:19 14:45	2.73 17.8	2.00 4.00	2	N N	-
01-CR-IN-B146-FB	N			NJDEP 15001	2/6/2022	16:30	SM 3113 B	2/10/2022	14:49	34.6	10.0	5	N	1
01-CR-IN-B146-FC	N			NJDEP 15001	2/6/2022	16:31	SM 3113 B	2/10/2022	16:04	19.0	4.00	2	N	T
01-CR-8Y-B143-FA	, N	P22-01024-77	PAS	NJDEP 15001	2/6/2022	16:33	SM 3113 B	2/10/2022	14:57	6.92	2.00	1	N	
01-CR-BY-B143-FB	N			NJDEP 15001	2/6/2022	16:33	SM 3113 B	2/10/2022	15:01	12.7	2.00	1	N	ļ
01-CR-BY-B143-FC	N			NJDEP 15001	2/6/2022	16:34	SM 3113 B	2/10/2022	15:05	2.53	2.00	1	N	
01-CR-BY-B143-WF-A 01-CR-BY-B143-WF-B	N N			NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	16:36 16:38	SM 3113 B SM 3113 B	2/10/2022	15:09 15:13	-0.4 6	2.00 2.00	1	N N	ND ND
01-HA-BY-C168-WF-A	N N			NJDEP 15001	2/6/2022	16:40	SM 3113 B	2/10/2022	11:33	-0.46 -0.35	2.00	1	N	ND
01-HA-BY-C168-WF-B	N			NJDEP 15001	2/6/2022	16:42	SM 3113 B	2/10/2022	11:48	-0.12	2.00	1	N	ND
01-FR-IN-C160A-FP	N	***************************************		NJDEP 15001	2/6/2022	16:43	SM 3113 B	2/10/2022	12:06	-0.35	2.00	1	N	NĐ
01-KI-IN-C1618-IM	N	P22-01024-85	PAS	NJDEP 15001	2/6/2022	16:45	SM 3113 B	2/10/2022	12:09	-0.35	2.00	1	N	ND
01-BR-IN-C161B-F	N			NJDEP 15001	2/6/2022	16:47	SM 3113 B	2/10/2022	12:13	-0.12	2.00	1	N	ND
01-KI-IN-C161B-FPA	N.			NJDEP 15001	2/6/2022	16:48	SM 3113 B	2/10/2022	12:16	-0.35	2.00	1	Ni Ni	ND
01-KI-IN-C1618-FPB 01-KI-IN-C1618-FPC	N N			NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	16:49 16:49	SM 3113 B SM 3113 B	2/10/2022	12:20 12:24	3.88 -0.12	2.00 2.00	1	N N	ND
01-KI-IN-C1618-FPD	N			NJDEP 15001	2/6/2022	16:50	SM 3113 B	2/10/2022 2/10/2022	12:24	0.120	2.00	1	N.	ND
01-KI-IN-C161B-FPE	N			NJDEP 15001	2/6/2022	16:51	SM 3113 B	2/10/2022	12:31	14.9	2.00	1	N.	† <u>`</u>
01-KI-IN-C161B-FPF	N			NJDEP 15001	2/6/2022	16:52	SM 3113 B	2/10/2022	12:35	0.820	2.00	1	N	ND
01-KI-IN-C161B-FPG	N			NJDEP 15001	2/6/2022	16:54	SM 3113 B	2/10/2022	12:46	1.06	2.00	1	N	J
01-KI-IN-C161B-FPH	N			NJDEP 15001	2/6/2022	16:55	SM 3113 B	2/10/2022	12:50	0.120	2.00	1	N	ND
01-KI-IN-C161B-FPI	N N			NJDEP 15001	2/6/2022	16:55	SM 3113 B	2/10/2022	12:54	0.350	2.00	1	N N	ND
01-KI-IN-C161B-FPK 01-KI-IN-C161B-FPL	N N			NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	16:56 16:57	SM 3113 B SM 3113 B	2/10/2022 2/10/2022	12:57 13:01	0.120 0.120	2.00 2.00	1	N N	ND ND
01-KI-IN-C161B-FPM	N			NJDEP 15001	2/6/2022	16:59	SM 3113 B	2/10/2022	13:05	0.350	2.00	1	N	ND
01-KI-IN-C161B-FPN	N			NJDEP 15001	2/6/2022	16:59	SM 3113 B	2/10/2022	13:09	4.82	2.00	1	N	1
01-KI-IN-C161B-FPO	N	P22-01024-100	PAS	NJDEP 15001	2/6/2022	17:00	SM 3113 B	2/10/2022	13:13	0.350	2.00	1	N	ND
01-KI-IN-C161B-FPP	N			NJDEP 15001	2/6/2022	17:01	SM 3113 B	2/10/2022	13:16	0.590	2.00	1	N	ND
01-KI-IN-C161B-FPQ	N			NJDEP 15001	2/6/2022	17:01	SM 3113 B	2/10/2022	13:27	0.350	2.00	1_	N	ND
BS-CR-IN-CO2O-FP		 	-	NJDEP 15001	2/6/2022	17:07	SM 3113 B	2/10/2022	13:42	3.41	2.00	1	N	╀
BS-CR-IN-C020-HW BS-GLR-IN-C022A-FA				NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	17:08 17:09	SM 3113 B SM 3113 B	2/10/2022 2/10/2022	13:46 13:49	3.18 0.120	2.00	1	N N	ND
BS-GLR-IN-C022A-FB	_	·	$\overline{}$	NJDEP 15001	2/6/2022	17:10	SM 3113 B	2/10/2022	13:53	0.120	2.00	1	N	ND
BS-BLR-IN-C022C-FA	_			NJDEP 15001	2/6/2022	17:12	SM 3113 B	2/10/2022	13:56	-0.12	2.00	1	N	ND
BS-BLR-IN-C022C-FB	N	P22-01024-108	PAS	NJDEP 15001	2/6/2022	17:14	SM 3113 B	2/10/2022	14:07	-0.12	2.00	1	N	NĐ
BS-HA-BY-C022C-WF-A				NJDEP 15001	2/6/2022	17:15	SM 3113 B	2/10/2022	14:11	-0.35	2.00	1	N	ND
BS-HA-BY-C022C-WF-B				NJDEP 15001	2/6/2022	17:17	SM 3113 B	2/10/2022	14:15	-0.35	2.00	1	N	ND
BS-KI-IN-C024C-FPA BS-KI-IN-C024C-FPB				NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	17:18 17:20	SM 3113 B SM 3113 B	2/10/2022 2/10/2022	14:18 14:22	0.120 1.53	2.00	1	N	NĐ
BS-KI-IN-C024C-FPC				NJDEP 15001	2/6/2022	17:22	SM 3113 B	2/10/2022	14:22	0.820	2.00	1	N	ND
BS-KI-IN-C024C-FPD				NJDEP 15001	2/6/2022	17:22	SM 3113 B	2/10/2022	14:29	0.590	2.00	1	N	ND
BS-KI-IN-C024C-FPE			PAS	NJDEP 15001	2/6/2022	17:23	SM 3113 B	2/10/2022	14:33	0.120	2.00	1	N	ND
BS-KI-IN-C024C-FPF (HW)				NJDEP 15001	2/6/2022	17:25	SM 3113 B	2/10/2022	15:06	-0.12	2.00	1	N	NĐ
BS-KI-IN-C024C-FPG				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	15:09	0.120	2.00	1	N	ND
BS-KI-IN-CO24C-FPH				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	15:13	0.350	2.00	1	N N	ND
BS-KI-IN-C024C-FPI BS-KI-IN-C024C-FPJ				NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	17:27 17:30	SM 3113 B SM 3113 B	2/10/2022 2/10/2022	15:17 15:20	-0.12 -0.35	2.00 2.00	1	N N	ND
BS-KI-IN-COZ4C-FPK				NJDEP 15001	2/6/2022	17:32	SM 3113 B	2/10/2022	15:24	-0.33	2.00	1	N N	ND
BS-KI-IN-C024A-FPA				NJDEP 15001	2/6/2022	17:41	SM 3113 B	2/10/2022	15:27	0.590	2.00	1	N	ND
BS-KI-IN-C024A-FPB				NJDEP 15001	2/6/2022	17:42	SM 3113 B	2/10/2022	15:49	0.590	2.00	1	N	ND
BS-KI-IN-C024A-FPC				NJDEP 15001	2/6/2022	17:42	SM 3113 8	2/10/2022	15:53	-0.12	2.00	1	N	ND
BS-KI-IN-C024A-FPD	-			NJDEP 15001	2/6/2022	17:43	SM 3113 B	2/10/2022	15:57	0.120	2.00	1	N	ND
BS-KI-IN-CO24A-FPE				NJDEP 15001	2/6/2022	17:44	SM 3113 B	2/10/2022	16:01	0.590	2.00	1	N	ND
BS-KI-IN-C024A-FPF BS-KI-IN-C024A-FPG				NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	17:44 17:45	SM 3113 B SM 3113 B	2/10/2022 2/10/2022	16:04 16:08	1.53 0.350	2.00 2.00	1	N N	ND
BS-KI-IN-C024A-FPH				NJDEP 15001	2/6/2022	17:45	SM 3113 B	2/10/2022	16:08	3.65	2.00	1	N N	1 ND
BS-KI-IN-C024A-FPI				NJDEP 15001	2/6/2022	17:48	SM 3113 B	2/10/2022	16:16	0.820	2.00	1.	N	ND
BS-KI-IN-C024A-FPI			,	NJDEP 15001	2/6/2022	17:49	SM 3113 B	2/10/2022	16:27	2.24	2.00	1	N	
BS-KI-IN-C024A-FPK				NJDEP 15001	2/6/2022	17:50	SM 3113 B	2/10/2022	16:31	0.590	2.00	1	N	ND
BS-KI-IN-CO24A-FPL				NJDEP 15001	2/6/2022	17:52	SM 3113 B	2/10/2022	16:35	1.29	2.00	1	N	J
BS-KI-IN-CO24A-FPM				NJDEP 15001	2/6/2022	17:52	SM 3113 B	2/10/2022	16:38	1.29	2.00	1	N	J
BS-KI-IN-C024A-FPN BS-KI-IN-C024A-FPO				NJDEP 15001 NJDEP 15001	2/6/2022 2/6/2022	17:53 17:54	SM 3113 B SM 3113 B	2/10/2022	16:42	0.120	2.00	1	N N	ND ND
BS-KI-IN-C024A-FPP		<u>i</u>		NJDEP 15001 NJDEP 15001	2/6/2022	17:54	SM 3113 B	2/10/2022 2/10/2022	16:46 15:38	-0.12 99.1	2.00 20.0	10	Y	ND
BS-KI-IN-C024A-FPQ				NJDEP 15001	2/6/2022		SM 3113 B	2/10/2022	16:09	5.52	2.00	1	N N	
-							·····					$\overline{}$		1
BS-KI-IN-C024A-FPR	N	P22-01024-139	PAS	NJDEP 15001	2/6/2022	17:36	SM 3113 B	2/10/2022	16:25	2.13	2.00	1	N	1

Appendix D Excel Template for Lead Results

Client: Essex County Schools of Technolgy Project (D: Donald M. Payne Tech, 498 W. Market St., Newark, NJ

Field ID	Flushed (Y/N)	Lab. Sample ID	Lab. Name	Lab. ID	Date Sampled	Time Sampled	Analytical Method	Date of Analysis	Time of Analysis	Conc. (ug/L)	Rpt. Limit (ug/L)	DF	Digested (Y/N)	Qfr.
BS-KI-IN-C024A-FPT	N	P22-01024-141	PAS	NJDEP 15001	2/6/2022	17:37	SM 3113 B	2/10/2022	16:33	-0.07	2.00	1	N	ND
BS-KI-IN-CO24A-FPU	N	P22-01024-142	PAS	NJDEP 15001	2/6/2022	17:37	SM 3113 B	2/10/2022	16:37	-0.07	2.00	1	N	ND
BS-KI-IN-C024A-FPV	N	P22-01024-143	PA\$	NJDEP 15001	2/6/2022	17:38	SM 3113 B	2/10/2022	16:49	-0.07	2.00	1	N	NĐ
BS-KI-IN-C024A-FPW	N	P22-01024-144	PAS	NJDEP 15001	2/6/2022	17:39	SM 3113 B	2/10/2022	16:53	-0.07	2.00	1	N	ND
BS-KI-IN-C024A-FPX	N	P22-01024-145	PA\$	NJDEP 15001	2/6/2022	17:40	SM 3113 B	2/10/2022	17:32	22.5	6.00	3	N	
BS-CF-IN-C025-FP	N	P22-01024-146	PAS	NJDEP 15001	2/6/2022	17:41	SM 3113 B	2/10/2022	17:01	0.730	2.00	1.	N	ND
BS-POE-IN-C032-FLUSH	Υ	P22-01024-147	PAS	NJDEP 15001	2/6/2022	18:12	SM 3113 B	2/10/2022	17:05	6.92	2.00	1	N	П
01-KI-IN-C1618-FPJ	N	P22-01024-148	PAS	NJDEP 15001	2/6/2022	16:56	SM 3113 B	2/10/2022	17:08	0.130	2.00	1	N	ND
BS-KI-IN-C024A-IM	N	P22-01024-149	PAS	NJDEP 15001	2/6/2022	17:45	SM 3113 B	2/10/2022	17:12	-0.07	2.00	1	N	ND